Form ap Budget	pproved. Bureau No.	42-R142
-------------------	------------------------	---------

	DEPARTMEN'					5. LEASE DESIGNATION AND SERIAL
•		GICAL SURV			ļ.	
A PDI ICATION	N FOR PERMIT	1 1		EN OR BLUC	DACK	SL 071403-A 6. 45 ANDIAN, ALLOTTEE OR TRIBE N
TYPE OF WORK	1 TOR FERMIN	IO DRILL, I	DEEP	EN, OR PLUG	BACK	
	LL 🖾	DEEPEN		PLUG BA	ČK □	3. UNIT AGREEMENT NAME
O. TYPE OF WELL OIL [V] GA	A8 🗂		. я	INGLE TO MULT		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	ELL OTHER			ONE Z ZONE		S. FARM ORDLEASE NAME
Consolida	ted Oil & Gas	s. Inc.			9.	Bluff.
ADDRESS OF OPERATOR		,,			1 1	13-74
P.O. Box 2	2038, Farmin	ngton, New	w Me	xico 87401	li a	40. FIELD AND POOL, OR WILDCAT
At surface	eport location clearly and	l in accordance wi	th any	State requirements.*)		Besent Greek B
2140 '	FSL & 660'	FWL NW	500		3 9 5	AND SURVEY OR AREA
As ab	ove	•				Sec 4, T40S, R23
	AND DIRECTION FROM NEA	REST TOWN OR POS	T OFFIC	E*		12. COUNTY OR PARISH   13. STATE
7-1/2 mile		1	1 10 m			San Juan   Utah
LOCATION TO NEAREST PROPERTY OR LEASE L	INE. PT.	560 <b>'</b>	10. N	o. of acres in lease  NA	TO T	OF ACRES ASSIGNED HIS WELL
(Also to nearest drlg 3. DISTANCE FROM PROP	OSED LOCATION*	<b>4.00</b>	19. P	N A ROPOSED DEPTH	10	-80
TO NEAREST WELL, DI OR APPLIED FOR, ON THI	RILLING, COMPLETED,	500'.		5700'	G I	Rotary
. ELEVATIONS (Show whe	ether DF, RT, GR, etc.)	<del></del>	1 ,	·	Ķ .	22. APPROX. DATE WORK WILL ST
4599'GR						October, 1981
		<u>,                                    </u>	4	D CEMENTING PROGE	AM	
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER F		SETTING DEPTH		QUANTITY OF CEMENT
17-1/2"	13-3/8"	48.0	IF .	.80 <b>'</b>	പറവ	er cinc to aunifor
12-1/4" 8-5/8"		2/ 0-		1500		sx, circ to surfac
7-7/8"  1. Drill 17- 2. Drill 12-	5-1/2" -1/2" hole to 8 -1/4" hole to 1	500'. Run	# # 3-3/8 8-5/	'8" casing & ce	To be rface &	e determined at TD cement. WOC 12 hour
7-7/8"  1. Drill 17- 2. Drill 12- 3. Install 14. Drill 7- 5. Run Elect 6. If comple	5-1/2" -1/2" hole to 8 -1/4" hole to 1	15.5# 80'. Run 13 500'. Run Pressure to timated TD, sed on logs " production	# 3-3/8 8-5/ cest , 570 comp	5700'  3" casing to su  8" casing & ce  BOP & casinghe  00'.  blete or abando  asing & cement.	face & ment. ad to-1	e determined at TD cement. WOC 12 hours.
7-7/8"  1. Drill 17 2. Drill 12 3. Install 14 4. Drill 7-7 5. Run Elect 6. If comple 7. If abando	5-1/2" -1/2" hole to 8 -1/4" hole to 1 10", 900# BOP. 7/8" hole to es tric Logs. Bas eted, run 5-1/2 oned, plugging  PROPOSED PROGRAM: If drill or deepen directions	15.5; 30'. Run 13 500'. Run Pressure to timated TD, sed on logs " production instruction proposal is to deep the contraction of	# 3-3/8 8-5/ cest , 570 comp on ca ns wi	5700'  8" casing to su  8" casing & ce  BOP & casinghe  00'.  clete or abando  asing & cement.  11 be obtained  plug back, give data on  on subsurface locations	from trong treatment.	e determined at TD cement. WOC 12 hours.  WOC 12 hours.  OOO psi for 30 minutes.  OIL, GAS & MINING and true vertical depths. Give block of the content of t
7-7/8"  1. Drill 17  2. Drill 12  3. Install  4. Drill 7-  5. Run Elect  6. If comple  7. If abando  ABOVE SPACE DESCRIBE ne. If proposal is to eventer program, if any	5-1/2" -1/2" hole to 8 -1/4" hole to 1 10", 900# BOP. 7/8" hole to es tric Logs. Bas eted, run 5-1/2 oned, plugging  PROPOSED PROGRAM: If drill or deepen directions	15.5; 30'. Run 13 500'. Run Pressure to timated TD, sed on logs " production instruction proposal is to deep the contraction of	# 3-3/8 8-5/ cest , 570 comp on ca ns wi	5700'  3" casing to su  (8" casing & ce  BOP & casinghe  00'.  clete or abando  asing & cement.  11 be obtained	from trong treatment.	e determined at TD cement. WOC 12 hours.  WOC 12 hours.  OOO psi for 30 minutes.  OIL, GAS & MINING and true vertical depths. Give block of the content of t
7-7/8"  1. Drill 17 2. Drill 12 3. Install 4. Drill 7- 5. Run Elect 6. If comple 7. If abando  ABOVE SPACE DESCRIBE ne. If proposal is to e eventer program, if any	5-1/2" -1/2" hole to 8 -1/4" hole to 1 10", 900# BOP. 7/8" hole to es tric Logs. Bas eted, run 5-1/2 oned, plugging  PROPOSED PROGRAM: If drill or deepen directions	15.5; 30'. Run 13 500'. Run Pressure to timated TD, sed on logs " production instruction proposal is to deep the contraction of	# 3-3/8 8-5/ cest , 570 comp on ca ns wi	5700'  8" casing to su  8" casing & ce  BOP & casinghe  00'.  clete or abando  asing & cement.  11 be obtained  plug back, give data on  on subsurface locations	from trong treatment.	e determined at TD cement. WOC 12 hours.  WOC 12 hours.  OOO psi for 30 minutes.  OIL, GAS & MINING and true vertical depths. Give block of the content of t
7-7/8"  1. Drill 17 2. Drill 12 3. Install 4. Drill 7- 5. Run Elect 6. If comple 7. If abando  ABOVE SPACE DESCRIBE ne. If proposal is to e eventer program, if any	5-1/2"  -1/2" hole to 8  -1/4" hole to 1  10", 900# BOP.  7/8" hole to estric Logs. Baseted, run 5-1/2  oned, plugging  PROPOSED PROGRAM: If drill or deepen directions	15.5; 30'. Run 13 500'. Run Pressure to timated TD, sed on logs " production instruction proposal is to deep the contraction of	# 3-3/8 8-5/ cest , 570 comp on ca ns wi	5700'  B" casing to su  B" casing & ce  BOP & casinghe  O'.  Olete or abando  asing & cement.  Il be obtained  plug back, give data on  on subsurface locations  oduction & Dri	from trong treatment.	e determined at TD cement. WOC 12 hours.  WOC 12 hours.  OOO psi for 30 minutes.  OIL, GAS & MINING and true vertical depths. Give block of the content of t
7-7/8"  1. Drill 17 2. Drill 12 3. Install 14. Drill 7-1 5. Run Elect 6. If comple 7. If abando  ABOVE SPACE DESCRIBE ne. If proposal is to eventer program, if any	5-1/2"  -1/2" hole to 8  -1/4" hole to 1  10", 900# BOP.  7/8" hole to estric Logs. Baseted, run 5-1/2  oned, plugging  PROPOSED PROGRAM: If drill or deepen directions	15.5; 30'. Run 13 500'. Run Pressure to timated TD, sed on logs " production instruction proposal is to deep the contraction of	# 3-3/8 8-5/ cest , 570 comp on ca ns wi	5700'  8" casing to su  8" casing & ce  BOP & casinghe  00'.  blete or abando  asing & cement.  11 be obtained  plug back, give data on  on subsurface locations  oduction & Dri	from to some state of the state	e determined at TD cement. WOC 12 hours.  WOC 12 hours.  OOO psi for 30 minutes.  OIL GAS & MINING  CIL GAS & MINING  uctive zone and proposed new productive zone and proposed new productive zone and true vertical depths. Give bloom of the control of the contro
7-7/8"  1. Drill 17.  2. Drill 12.  3. Install .  4. Drill 7-  5. Run Elect  6. If comple  7. If abando  ABOVE SPACE DESCRIBE ne. If proposal is to eventer program, if any  SIGNED	5-1/2"  -1/2" hole to 8  -1/4" hole to 1  10", 900# BOP.  7/8" hole to es  tric Logs. Baseted, run 5-1/2  oned, plugging  PROPOSED PROGRAM: If drill or deepen directions	15.5; 30'. Run 13 500'. Run Pressure to timated TD, sed on logs " production instruction proposal is to deep the contraction of	# 3-3/8 8-5/ cest , 570 comp on ca ns wi	5700'  8" casing to su  8" casing & ce  BOP & casinghe  00'.  blete or abando  asing & cement.  11 be obtained  plug back, give data on  on subsurface locations  oduction & Dri	from trong treatment.	e determined at TE cement. WOC 12 hours.  WOC 12 hours.  OOO psi for 30 minutes.  OIL GAS & MINING  CIL GAS & MINING
7-7/8"  1. Drill 17- 2. Drill 12- 3. Install 4. Drill 7- 5. Run Elect 6. If comple 7. If abando  ABOVE SPACE DESCRIBE ne. If proposal is to eventer program, if any  (This space for Feder  PERMIT NO	5-1/2"  -1/2" hole to 8  -1/4" hole to 1  10", 900# BOP.  7/8" hole to estric Logs. Baseted, run 5-1/2  oned, plugging  PROPOSED PROGRAM: If drill or deepen directions	15.5; 30'. Run 13 500'. Run Pressure to timated TD, sed on logs "production instruction  proposal is to deep the representation of the pertinent of the pertine	# 3-3/8 8-5/ cest , 570 comp on ca ns wi	5700'  8" casing to su  8" casing & ce  BOP & casinghe  00'.  blete or abando  asing & cement.  11 be obtained  plug back, give data on  on subsurface locations  oduction & Dri	from to some state of the state	e determined at TD cement. WOC 12 hours.  WOC 12 hours.  OOO psi for 30 minutes.  OIL, GAS & MINING and true vertical depths. Give block of the content of t
7-7/8"  1. Drill 17- 2. Drill 12- 3. Install 4. Drill 7- 5. Run Elect 6. If comple 7. If abando  ABOVE SPACE DESCRIBE ne. If proposal is to eventer program, if any  (This space for Feder  PERMIT NO.  APPROVED BY CONDITIONS OF APPROVE  7. As	5-1/2"  -1/2" hole to 8  -1/4" hole to 1  10", 900# BOP.  7/8" hole to estric Logs. Baseted, run 5-1/2  oned, plugging  PROPOSED PROGRAM: If drill or deepen directions	15.5; 30'. Run 13 500'. Run Pressure to timated TD, sed on logs "production instruction  proposal is to deep the representation of the pertinent of the pertine	3-3/8 8-5/cest 570 compon cans wi	5700'  8" casing to su  8" casing & ce  BOP & casinghe  00'.  blete or abando  asing & cement.  11 be obtained  plug back, give data on  on subsurface locations  oduction & Dri	from to some state of the state	e determined at TE cement. WOC 12 hours.  WOC 12 hours.  OOO psi for 30 minutes.  OIL GAS & MINING  CIL GAS & MINING
7-7/8"  1. Drill 17- 2. Drill 12- 3. Install 4. Drill 7- 5. Run Elect 6. If comple 7. If abando  ABOVE SPACE DESCRIBE ne. If proposal is to eventer program, if any  (This space for Feder  PERMIT NO	5-1/2"  -1/2" hole to 8  -1/4" hole to 1  10", 900# BOP.  7/8" hole to es  tric Logs. Baseted, run 5-1/2  oned, plugging  PROPOSED PROGRAM: If drill or deepen directions	15.5; 30'. Run 13 500'. Run Pressure to timated TD, sed on logs "production instruction  proposal is to deep the representation of the pertinent of the pertine	3-3/8 8-5/cest 570 compon cans wi	5700'  8" casing to su  8" casing & ce  BOP & casinghe  00'.  blete or abando  asing & cement.  11 be obtained  plug back, give data on  on subsurface locations  oduction & Dri	from to some state of the state	e determined at TD cement. WOC 12 hours.  WOC 12 hours.  OOO psi for 30 minutes.  OIL, GAS & MINING and true vertical depths. Give block of the content of t

					WEL	L NO	#13-4	
		, т	40 5	SOUTH	, R	23 EAS	T	
				SOUTH WEST I	LINE AI	MD	· .	
1599_	UNGRA	DED (	ROUI	VD	·			
JAN C	OUNT	,		•			UTAH	
	l :				-	1		
•	 		•					
	 1 1							
	1	•			•		,	
	i	•	•	4				
	i i ,							
	1				•	1		
<b>-</b>	i 					 		
	1					1		
					•	- I		
H FOUA	S 1000 F	FFT	F	1 23 E		) . <b>I</b>		
	JAN C	JAN COUNTY	JAN COUNTY,	JAN COUNTY,	1	JAN COUNTY,	PAN COUNTY,	JAN COUNTY, UTAH

Identi	fication	No.

FOR E. W. GUYNN DISTRICT OIL & GAS SUPERVISOR

District Supervisor

United States Department of the Interior Geological Survey 2000 Administration Building 1745 West 1700 South Salt Lake City, Utah 84104

NEPA CATEGORICAL EXCLUSION REVIEW

PROJECT IDENTIFICATION
Operator Consolidated D: ( È Gas, Incorporated
Project Type single zone explorational oil well
Project Location 2140 FSL/660 FWL, Sec. 4, T. 405., R. 27 E., San Juan Co
Well No. 13-4 Pluff Lease No. 2L 07/403-A
Date Project Submitted
FIELD INSPECTION Date August 25, 1981
Field Inspection Participants  Dalo Richardson- Consolidated O:
Brian Wood/Reed Wilson-Bureau of Land Man
Ranky Corbett - Bureau of Indian Affairs
Nelly Jackson- Navajo Compliance Officer
Don Englishman - O.S. Goological Lurury
I have reviewed the proposal in accordance with the categorical exclusion review guidelines. This proposal would not involve any significant effects and, therefore, does not represent an exception to the categorical exclusions.
Date Prepared  Devois Environmental Scientist
I concur

JUL 08 1982

Date

#### CATEGORICAL EXCLUSION REVIEW INFORMATION SOURCE

•	Criteria 516 DM 2.3.A	<u>Federa</u> Corre- spondence (date)	1/State Ag Phone check (date)	gency Meeting (date)	Local and private corre-spondence (date)	Previous NEPA	Other studies and reports	Staff expertise	Onsite inspection (date)	Other
•	Public health and safety						14	1		
2.								V		·
3.	Environmentally controversial									
4.	Uncertain and unknown risks							/		
5.	Establishes precedents							/		
	Cumulatively significant							1		
7.	National Register historic places	1								
8.	Endangered/ threatened species	V					·			
9.	Violate Federal, State, local, tribal law				·		19	V		

#### CATEGORICAL EXCLUSION REVIEW COMMON REFERENCE LEGEND

- 1. Surface Management Agency Input
- 2. Reviews Reports, or information received from Geological Survey (Conservation Division, Geological Division, Water Resource Division, Topographic Division)
- Lease Stipulations/Terms
- 4. Application for Permit to Drill
- 5. Operator Correspondence
- 6. Field Observation
- 7. Private Rehabilitation Agreement

Date 8-25-81	By DER PER
Lease SL-071403-A Operator Consolidated	Field WC
Operator Consolidated	Oil (Gas Inc.
Well # 5 Name Bluff	17-4
OWell # & Name Bluff NW SW 2140 FSL/660 F	S. 4 T.405 R.23E
County San Jvan	
Depth 5700 G greesework Vegetation harrow le	
Vegetation howers le	of week broom
Snakowell/Mormon tea/	SChalreals / Wolfben
Albert sacuton / control grand () Est. Rd. Inth. 1500 Pad/Pit size 300 x 250	chest a race
() Fet Rd Inth 1500	Ed May cut 6
Pad/Pit size 300 x 250	Fet Mar cut & NW
Rd. Wdth (W/PL WOPL) 1	9'-20'
Slope 4 % soil	Type sand/Ruch
Est. Start pas.a.p.	Mud Gas
Nearest known dwelling	
Surface Ownership New	
Names of Individuals on Date Perchandian	oint Inspection: - ConxolNetel
(Brian Wood Ree	
Rendy Cornett -	-RIA
Nelly Jackso	n - Navay'r Consolian
Canyon botton	
	ns (broud)
Remarks:	
CUR 11-6-81	
100	
10 days	12 A . 721 m
	water : ILM
1	Water 4 110

### \*\* FILE NOTATIONS \*\*

DATE:	
OPERATOR: Consolidated dil +	Haz Inc.
WELL NO: Bluff #13-4	
Location: Sec. 4 T. 405 R.	23 E County: San quan
File Prepared: En	tered on N.I.D:
	mpletion Sheet:
API Number <u>43</u>	-037-30726
CHECKED BY:	
Petroleum Engineer: M.S. Mine	les 10-2-81
Director:	
Administrative Aide: ok as fin R	ule c-3,
APPROVAL LETTER:	
Bond Required:	Survey Plat Required:
Order No.	O.K. Rule C-3
Rule C-3(c), Topographic Exception - within a 660' radius of	
Lease Designation [34]	Plotted on Map
Approval Letter W	Iritten
Hot Line P.I.	

#### October 7, 1981

Consolidated Oil & Gas, Inc. P. O. Box 2038 Farmington, New Méxéco 87401

RE! Well No. Bluff #13-4, Sec. 4, T. 40S, R. 23E, San Juan County, Utah

Insofar as this office is concerned, approval to drill the above referred to Oil well is hereby granted in accordance with Rule C-3, General Rules and Regulations and Rules of Practice and Procedure.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to <u>immediately</u> notify the following:

MICHAEL T. MINDER - Petroleum Engineer Office: 533-5771 Home: 876-3001

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (acquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.

The API number assigned to this well is 43-037-30726.

Sincerely,

DIVISION OF OIL, GAS AND MINING

Michael T. Minder Petroleum Engineer

MAR MARINE

MTM/db CC: USGS

#### Bureau of Indian Affairs

#### Transmittal of Application for Permit to Drill

Date 10-29-8/	Lease Number <u>51 07/403-A</u>
Operator Consolidated Oil & Gas	Sec. 4 T. 405 R. 23E
Well No. & Name Bluff #13-4	Footage <u>2/40</u> F(S)(%)L <u>660</u> F(%)(W)L
Date APD Received September, 1981	San Juan County, Utah
If the proposed action meets with your appr below and return the copy to this office. rehabilitation stipulations in section 15 o and list any additional ones you would like cation upon receipt of these requirements.	Please check the applicable surface of the attached General Requirements
•	REGEIVED
Geological Survey	NOV 5 1981
	U. S. GEOLOGICAL SURVEY
Surface Owner Tribal	Allotted Other
I concur with the approval of the Applicati Surface Development and Operation Plan prov included in the approval.	on for Permit to Drill and/or the vided the following conditions are
Date 11/03 /81	Jethy W. Hanse BIA Representative

	н.	No well and/or production equipment within the irrigable fields of the Navajo Indian Irrigation Project will exceed two feet above the natural ground surface elevation, and will be adequately barricaded for safety.
	ı.	Any production piping systems shall be installed with at least four feet of cover.
	J.	In addition to the well-control equipment stipulated in Section 5, either an annular blowout preventer or a rotating head must be used while drilling below surface casing to
$\boxtimes$		Other: A diversion will be constructed on the north side of the location, to divert runoff around the pad and pit.

X	Debri needs to be cleaned up and properly disposed o	f.
 X	Oil Spillage spots need to be cleaned up prior to se	eding.
	Pad and access road are to be disced and properly profor seeding.	epared
X	All disturbed areas will be reseeded and fenced to a establishment of seeding. Fencing applies only pad and pit areas.	llow Y +o
$\mathbf{X}$	All disturbed areas will be seeded with the recommendation of the seed will be drilled to a depth of not less the and not more than & inch, followed by a drag or packed Compacted areas will be plowed (Disced) to a depth of inches before seeding.	ded seed an % inch er.
	Mellinine il Mellinii Mellinii Milline Mellinie Milline Mellinie M	NIMUM %: S Accept.
<b>X</b>	1. Indian Ricegrass 1  Galleta 2  4-wing Saltbush (Dewinged) 1  Winter Alkali sacaton 1	55% 57% 7 <b>6</b> %
	2. Indian Ricegrass:  Galleta  Alkali Sacaton  Winter Fat  Shadscale  1	55% 76%
	3. Indian Ricegrass - 1 Galleta 2 Alkali Sacaton 1 4-wing Saltbush (Dewinged) 1 Shadescale 1	55% 76% 57%
	4. Indian Ricegrass 1 Galleta 2 Needle & Thread 1 4-Wing Saltbush (Dewinged) 1 Cliffrose 1	55%

#### 15. SPECIAL STIPULATIONS

The	LOT	lowing special requirements apply and are effective when checket.
	A.	surface casing should be set at feet and cement circulated to the surface.
	В.	Ram-type blowout preventers and related control equipment shall be pressure tested with water to the rated working pressure of the stack assembly (except that the annular-type preventer may be tested to 70 precent of rated working pressure) (a) when installed; (b) before drilling possible abnormally-pressured zones; and (c) following repairs that require disconnecting a pressure seal in the assembly.
		Minimum required fill of cement behind the casing is to
X	D.	All above ground permanent structures and equipment will be painted a non-glare color that simulates the natural color of the site, as follows
		Brown, Federal Standard 595a-30318 Green, Federal Standard 595a-34127 Gray, Federal Standard 595a-36357 Sand, Federal Standard 5952-30277
	E.	A kelly cock will be installed and maintained in operable condition.  A Communitization Agreement covering the acreage dedicated to the
	-	well must be filed for approval with the U.S. Geological Survey, P.O. Box 26124, Albuquerque, New Mexico 87125. The effective date of the agreement must be prior to any sales.
	<b>G.</b>	Compacted areas will be plowed or ripped to a depth of 4-6" before reseeding. Reseeding of the disturbed lands is required upon completion of drilling and completion activities and abandonment of the well. All seeding will be done between July 1 and September 15. Seeding will be done with a disc-type drill with two boxes for various seed sizes. The drill rows will be eight to ten inches apart. The seed will be planted between one-half inch deep and three quarter inch deep. The seeder will be followed with a drag, packer, or roller to insure uniform coverage of the seed, and adequate compaction. Drilling of the seed will be done on the contour where possible, not up and down the slope. Where slopes are too steep for contour drilling a "cyclone" hand-seeder or similar broadcast seeder will be used, using twice the recommended seed per acre. Seed will then be covered to the depth described above by whatever means is practical.
		If, in the opinion of the surface management agency, the seeding is unsuccessful, the lessee/operator may be required to make subsequent seedings until revegetation is successful.

Utah Office of Land Development P.O. Box 410 Montezuma Creek, Utah 84534-0410 801-651-3208 MINERALS MANAGEMENT SERVICE OIL & GAS OPERATIONS RECEIVED

JUN 25 1982 SALT LAKE CITY, UTAH

March 10, 1982

Office of the Secretary
Minerals Management Service
South Central Region
P.O. Box 600
Farmington, New Mexico 87401

Attention: James Sims

Re: Consolidated Oil & Gas Inc.

Dear Sir:

Consolidated Oil & Gas Inc. has been given approval on November 27, 1981 to drill Bluff 13-4 well location located in Section 4, T40S, R23E, San Juan County, Utah.

Sincerely,

Nellie Jackson, Compliance Officer

cc: Consolidated Oil & Gas
Bureau of Land Operations
Real Property

#### (Other instructions on reverse side) UNITED STATES

SUBMIT IN TRI ATE\*

Form approved. Budget Bureau No. 42-R1425.

•		OF THE INTER	RIOR		5. LEASE DESIGNATION AND SERIAL NO.
		SICALISURVEY			SL 071403-A
APPLICATION	Y FOR PERMIT T	O DRILL, DEEPI	N, OR PLUG E	<b>BACK</b>	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
1a. TYPE OF WORK		DEEDEN!	DI LIC DA	<b>~</b> ~	7. UNIT AGREEMENT NAME
b. Type of well		DEEPEN	PLUG BA	CK 🗀 📜	G. O'NIT AGREEMENT NAME
WELL X	AS OTHER		NGLE MULTIP	ыт L 🚆	S. PARM OR LEASE NAME
2. NAME OF OPERATOR	- VIIII		NE LES ZONE	ه ك	Bluff
Consolida	ted Oil & Gas	, Inc.		<u>ن</u> د د	9. WELL NO.
3. ADDRESS OF OPERATOR					3 L13-4 8 \$88
P.O. Box	2038, Farmin	gton, New Me	xico 87401		10. FIELD AND POOL, OR WILDCAT
4. LOCATION OF WELL (R. At surface	eport location clearly and	in accordance with any S	tate requirements.*)	•	Desert Creek
	FSL & 660' F	WL		ů. C	AND SURVEY OR AREA
At proposed prod. zon As ab		<u>IU</u>	PARRO	3000	9 mg
	AND DIRECTION FROM NEAR	EST TOWN OR POST OF	NEW STA	(15)A	Sec 4, T40S, R23E 2. COUNTY OR PARISH   13. STATE
7-1/2 mile		i Al		GII	San Juan Utah
15. DISTANCE FROM PROPO LOCATION TO NEAREST		1634	OF ACRES IN LEASE	17. 10.0	ACRES ASSIGNED
PROPERTY OR LEASE I (Also to nearest drig	LINE, FT. 6	60'	of Agres in Liase 198;	2 2	Mis Well 80
		19. PR	OPOSED DEPTH	20. ROTA	RY OR CABLE TOOLS
	POSED LOCATION* RILLING, COMPLETED, IS LEASE, FT. 25		DIVISION OF	:  :	Rotary & SES
21. ELEVATIONS (Show who	ether DF, RT, GR, etc.)		DIL, GAS & MIN	ING :	22. APPROX. DATE WORK WILL START*
				12	October, 1981
23.	PI	ROPOSED CASING ANI	CEMENTING PROGRA	AM :	
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	T	QUANTITY OF CEMENT
17-1/2"	13-3/8"	48.0#	.80'	100 s	ex, circ to surface
12-1/4"	8-5/8"	24.0#	1500 <b>'</b>		sx, circ to surface
7-7/8"	5-1/2"	15.5#	5700'		determined at TD
- 3 Design 10	1 (0 1 1 1 1 0 6	ا م د د			· ^ ^ ^ ^ ^ ^ ^ ^ ^ ^ ^ ^ ^ ^ ^ ^ ^ ^ ^
				· ·	cement. WOC 12 hours.
2. Drill 12	-1/4" hole to 15	500'. Run 8-5/	8" casing & cer	ment.	WOC 12 hours.
					000 psi for 30 minutes.
		•			To post for sometimes.
	7/8" hole to est	•			THE LIGHT ME TO THE
5. Run Elec	tric Logs. Base	ed on logs comp	lete or abandor	n well.	
6. If comple	eted, run 5-1/2"	production ca	sing & cement.		SEP RAGGE
			_		
, ii aband	oned, plugging i	instructions wi	ii be obtained	Irom:t	ne proper agencies.
			•	d.	
			•	:	
					인 원위 많이 싫는 황결책활
IN ABOVE SPACE DESCRIBE	PROPOSED PROGRAM: If p	roposal is to deepen or p	lug back, give data on p	resent prod	uctive zone and proposed new productive
zone. If proposal is to preventer program, if an	drill or geepen directional	ly, give pertinent data o	n subsurface locations as	nd measured	d and true vertical depths Give blowout
24.				=	
SIGNED	les Ticks	elsa TITLE Pro	duction & Dril	] i n = 50.	
		TITLE II'	MULLION & DI'T		10 to DATE 9-4-81
(This space for Fede	ral or State office use)			<u>.</u>	
PERMIT NO.			APPROVAL DATE	Ċ	<u>ន ឧក ទីធ្នូ ៦២ គួមឃុំក៏</u>
<b>/</b> /	Martin	for E. W	. Guynn	).T	(REG O 1007
APPROVED BY	" " wew	TITLE	ct Oil & Gas Super	visor 🙃	JUL 2-9 1982
CONDITIONS OF APPROV	AL, IF ANY:	•	•	-	
		•	•		

NOTICE OF APPROVAL

FLARING OR VENTING OF GAS IS SUBJECT TO NTL 4-A **DATED 1/1/80** 

#### OPERATIONS PLAN

U. S. Geological Survey	
701 Camino Del Rio	
Durango, Colorado 81301	
	Re: Application for Permit to Drill
	Bluff 13-4
	San Juan County, Utah

#### Gentlemen:

Following is the information requested in NTL-6 to accompany the permit to drill:

1. Location:

2140' FSL & 660' FWL Sec 4, T40S, R23E San Juan County, Utah

- 2. Elevation of Unprepared Ground: 4599 GL
- 3. Geologic Name of Surface Formation:

# 4. Type Drilling Tools:

Rotary

# 5. Proposed Drilling Depth:

5700'

# 6. Estimated Tops of Geologic Markers:

Ismay		
		53501
Paradox Shale		
	•	5500 <b>'</b>
Desert Creek		5540
•	•	2240,

# 7. Estimated Depths at which Anticipated Gas or Oil Bearing Formations

#### Expected:

55401

# 8. Casing Program and Setting Depth:

	<u>Size</u> W	eight	Grade	Condition	• Setting
Conductor	13-3/8"	48#	H-40	New	80'
Surface	8-5/8"	24#	K-55	New	1500
Production	5-1/2"	15.5#	K-55	New	5700

# 9. Casing Setting Depth and Cement:

- a. Conductor casing will be set at 80' & cement circulated to surface with 100 sx Class "B" containing 2% CaCl.
  - b. Surface casing 8-5/8" will be set at 1500' & cement circulated to surface with 650 sx Class "B" containing 2% CaCl2.
- c. Production casing 5-1/2" will be set at TD & cemented.

## 10. Pressure Control Equipment:

See attached (Diagram "A").

#### 11. Circulating Media:

0-80' - Fresh water

80-1500' - Spud mud 1500'-TD - Low solids mud, 30-38 vis with 8.5-9.0 PPG (heavier weight mud if required by well condition.)

## 12. Testing, Logging and Coring Programs:

Open hole logs will be run at TD. No cores or DST's are planned.

13. Abnormal Pressure or Temperature and Hydrogen Sulfide Gas:

None anticipated.

Anticipated Starting Date:


October, 1981

Other Facets of the Proposed Operations:

None

Yours very truly,

CONSOLIDATED OIL & GAS, INC.



OPERATIONS PLAN
DIAGRAM "A" - PRESSURE CONTROL EQUIPMENT
CONSOLIDATED OIL & GAS, INC.
Bluff #13-4
SW/4 Sec 4, T40S, R23E
San Juan County, Utah

#### Development Plan For Surface Use

Consolidated Oil & Gas, Inc. - Operator

Bluff 13-4

SW/4 Sec 4, T40S, R23E

San Juan County, Utah

#### 1. Existing Roads

See enclosed topographic map (Exhibit I) which shows existing improved and unimproved roads.

#### 2. Planned Access Roads

See enclosed topographic map.

#### 3. Location of Existing Wells

See enclosed topographic map.

#### 4. Location of Existing and/or Proposed Facilities

See enclosed topographic map showing location of wells and facilities operated by Consolidated Oil & Gas, Inc. If production in established, the tank battery and other required producing equipment will be located per attached completion plat: (Exhibit II)

#### 5. Location and Type of Water Supply

Water for drilling will be hauled from El Paso Natural Gas Company's water hole.

#### 6. Source of Construction Materials

No additional construction materials required.

#### 7. Methods of Handling Waste Disposal

All waste material will be contained by earthen and steel pits.

The earthen pits will be subsequently backfilled and buried. A

portable chemical toilet will be furnished for drilling personnel.

#### 8. Ancillary Facilities

No separate campsites or air strips are proposed.

#### 9. Wellsite Layout

The drillsite location will be graded and will be approximately

200' by 250' with natural drainage to the south.

Care will be taken while grading to control erosion. (Exhibit III)

#### 10. Plans for Restoration of Surface

- A. Following drilling and completion operations all equipment and material not needed for operations will be removed. Pits containing fluid will be fenced until they dry out and will then be filled and the location cleaned of all trash and junk.
- B. After abandonment, any special rehabilitation and/or revegetation requirements (specified by regulatory agency) will be complied with and accomplished as expeditiously as possible.

#### 11. Other Information

If, during operations, any historic or prehistoric ruin, monument or site, or any object of antiquity is discovered, work will be suspended and the discovery will be reported to the appropriate regulatory agency.

The area covered by the location and proposed access road is - - BLM and Navajo Reservation

#### 12. Operator's Representative

Dale Richardson
P.O. Box 2038
Farmington, New Mexico 87401
Phone: Office (505) 632-8056
Home (505) 327-4279

#### 13. Certification


I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route, that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Consolidated Oil & Gas, Inc., its Contractors and Subcontractors in conformity with this plan and the terms and conditions under which it is approved.


9-4-81

Date

Dale Richardson

Production & Drilling Sup't.






1" = 50'

- 1. Well
- 2. Dead Men
- 3. Pump Jack
- 4. Flow Line to Production Battery

DEVELOPMENT PLAN FOR SURFACE USE
EXHIBIT II - PROPOSED PRODUCING FACILITIES
CONSOLIDATED OIL & GAS, INC.
Bluff #13-4
SW/4 Sec 4, T40S, R23E
San Juan County, Utah



DEVELOPMENT PLAN FOR SURFACE USE EXHIBIT III - DRILLSITE LAYOUT CONSOLIDATED OIL & GAS, INC. BLUFF #13-4
SW/4 Sec 4, T40S, R23E
San Juan County, Utah

# AMENDMENTS TO SURFACE USE PLAN and

#### RECLAMATION PROCEDURES

Lease No.: SL-071403-A	Pre-drill Inspection Date: 8-25-81		
Operator: Consolidated Oil & Gas, Inc.	Participants: Brian Wood - BLM		
	•		
Well Name: Bluff #13-4	Reed Wilson - BLM		
Well Location: 2140' FSL & 660' FWL	Don Englishman - U.S.G.S.		
Sec 4, T40S, R23E			
San Juan County, Utah	Nelly Jackson - Navajo Tribal		
	Compliance Office		
	Randy Cornett - BIA		
	Randy Moorehead - Archaeologist		

#### Construction:

- 1. The operator or his contractor will contact the San Juan Resource Area Office in Monticello, Utah (Phone 801/587-2201) 48 hours prior to beginning any work on public land.
- 2. The dirt contractor will be furnished with a copy of the Surface use plan and any additional BLM stipulations prior to any work.
- 3. The San Juan County Road Department in Monticello will be contacted prior to the use of county roads for this activity (prior) to construction); Mr. Dick Traister at 801/587-2249.
- 4. Use of water from sources such as wells, springs, streams, or stock ponds for activities associated with this well will be approved (prior to use) by the agency or individual holding the water right.

- 5. If subsurface cultural material is exposed during construction, work in that spot will stop immediately and the San Juan Resource Area Office will be contacted. All employees working in the area will be informed by the operator that they will be subject to prosecution if they are caught disturbing archaeological sites or picking up artifacts. Salvage or excavation of identified archaeological sites will only be done if damage occurs.
- 6. Improvement to existing access (will/wxxxxxxx) be necessary and will be limited to a total disturbed width of 16 feet. New construction will be limited to a total disturbed width of 16 feet. Road surface will be flat bladed to remove brush, no ditching or water bars or culverts will be installed. Surface disturbance and vehicular travel will be limited to the approved location and approved access route. Any additional area needed will be approved in advance.

  Surfacing material will not be placed on the access road or location without prior BLM approval.
- 7. The top 10 inches of soil material will be removed from the location and stockpiled separate from the trees on the NE side of the location. Topsoil along the access will be reserved in place.
  - 8. A trash pit will be constructed near the mud tanks with steep sides and dug at least six feet into solid undisturbed material. It will be totally enclosed with a fine mesh wire before the rig moves onto the location.
  - 9. The reserve pit (will/wkkkxxxxx) be lined with plastic sufficient to prevent seepage.
- 10. Three sides of the reserve pit will be fenced with four strands of barbed wire before drilling starts. The fourth side will be fenced as soon as the drilling is completed. The fence will be kept in good repair while the pit is drying.

.11. A burning permit will be required before burning trash between May 1 and October 31. This can be acquired by contacting the State Fire Warden, John Baker at 801/587-2705.

#### Rehabilitation

- 1. Immediately on completion of drilling, the location and surrounding area will be cleared of all debris resulting from the operation. All trash will be disposed of in the trash pit. Non-burnable debris will be hauled to a local town dump site.
- 2. The operator or his contractor will contact the San Juan Resource Area BLM office in Monticello, Utah (phone 801/587-2201) 48 hours prior to starting rehabilitation work that involves earthmoving equipment and upon completion of restoration measures.
- 3. Before any dirt work to restore the location takes place, the reserve pit must be completely dry and any trash it contains must be removed from public lands.
- 4. All disturbed areas will be recontoured to blend as nearly as possible with the natural topography.
- 5. The stockpiled topsoil will be evenly distributed over the disturbed area.
- 6. All disturbed areas will be scarified with a contour to a depth of 6 inches.
- 7. Seed will be (broadcast/dridded) at a time to be specified by the BLM with the following seed prescription. When broadcast seeding, a harrow or some such implement will be dragged over the seeded area to assure seed cover.

2 lbs/acre	Indian ricegrass (Oryzopsis hymenoides)
lbs/acre	Fourwing saltbush (Atriplex canescens)
lbs/acre	Sand dropseed (Sporobolus cryptandrus)
• •	(cont.d)

lbs/acre	Green ephedra (Ephed	ra cryptandrus)
	Cliffrose (Cowania m	
lbs/acre	Crested wheatgrass (	Agropyron desertorum)
	Western wheatgrass (	9
	Alkali sacaton (Spor	
lbs/acre	Rubber rabbitbrush (	Chrysothamnus nauseosus)
• • • • • • • • • • • • • • • • • • • •	Shad Scale	

- 8. After seeding is complete the stockpiled trees will be N/A scattered evenly over the disturbed areas and walked down with a dozer. The access will be blocked to prevent future use.
  - 9. Water bars will be constructed as directed by BLM to control erosion.

#### Production

- 1. The reserve pit and that portion of the location and access road not needed for production or production facilities will be reclaimed by the methods described in the rehabilitation section. Enough topsoil will be retained to reclaim the remainder of the location at a future date. The remaining stockpile of topsoil will be seeded in place using the prescribed seed mixture.
- 2. All above ground production facilities will be painted a neutral color to be approved by the BLM.
- 3. The access shall be upgraded to the following specifications:

NOTICE OF SPUD Consolidated Oil 4 Gas Caller: Carl Barrick Phone: 303-247-5144 Well Number: 13-4-B/uff Location: NW SW Sec 4 405 23E County: Sanjuan State: Utah Lease Number: <u>SL 0</u>7/403-A Lease Expiration Date: Production Unit Name (If Applicable): Bate & Time Spudded: 11:30 PM Quq 14,1982 Hy Hole Spudder/Rotary; Details of 'Spud (Hole, Casing, Cement, etc.) 85/8 1489 455 Sack 55 lbs. 200 Sack Class B. 150 Sack from top. Rotary Rig Name & Number: Coleman Rig +1 Approximate Date Rotary Moves In: aug 13,1982 Development well FOLLOW WITH SUNDRY NOTICE Call Received By: Becky George Date:

State of GV Vernal mms Teressa

Teressa Diane Well file operator attempted to notify someone to witness cement casing, but couldn't send someone.

# Form Approved. Budget Bureau No. 42-R1424

# UNITED STATES

DEPARTMENT OF	THE INTERIOR	SL-071403-A
GEOLOGICA	SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
SUNDRY NOTICES AND Do not use this form for proposals to drill eservoir, Use Form 9-331-C for such propo		7. UNIT AGREEMENT NAME
eservoir. Use Form 9-331-C for such propo	sals.)	8 FARM OR LEASE NAME
1. oil gas other		9. WELL NO.
2. NAME OF OPERATOR	A.C. TNO	13-4
CONSOLIDATED OIL & C	AS, INC.	10 FIELD OR WILDCAT NAME Desert Creek
P.O. Box 2038, Farmi	ngton, New Mexico 87401	11 SEC., T., R., M., OR BLK. AND SURVEY OR
<ol><li>LOCATION OF WELL (REPORT L below.)</li></ol>	DCATION CLEARLY. See space 17	AREA Sec. 4, T40S, R23E
AT SURFACE: 2140' FSL &	660' FWL	12 COUNTY OR PARISH 13. STATE
AT TOP PROD. INTERVAL: AT TOTAL DEPTH:		San Juan Utah
16. CHECK APPROPRIATE BOX TO	INDICATE NATURE OF NOTICE	14. API NO.
REPORT, OR OTHER DATA	3	15. ELEVATIONS (SHOW DF, KDB, AND WD)
REQUEST FOR APPROVAL TO:	SUBSEQUENT REPORT OF:	4599' GL
TEST WATER SHUT-OFF	DX	
FRACTURE TREAT		
SHOOT OR ACIDIZE URPAIR WELL		(NOTE: Report results of multiple completion or zone
PULL OR ALTER CASING		change on Form 9–330.)
MULTIPLE COMPLETE   CHANGE ZONES		
ABANDON*	· H	
(other)	<u> </u>	
including estimated date of star measured and true vertical dept	IPLETED OPERATIONS (Clearly state ting any proposed work. If well is done for all markers and zones pertiner.  14" Surface at 11:00 p.m.	
24# casin Cmtd w/45 w/2% CaCl	g set at 1489.67. 5 sx 50-50 poz & 6% gel. . Did not circ cmt. Ran	an 35 jts 1474.67 8 5/8"  Tailed in w/200 sx Neat  1" pipe to 104' & cmtd w/
· ·	2% CaCl. Circ 10 bbls to	sur Dices Med 14 11576 PF
test 1000	psi for 30 min.	
Average of the second s		SEP 21 1982
Cutanda - Cafata Value Mana land	T	DIVISION OF
Subsurface Safety Valve: Manu. and  18. I hereby centify that the foregoin		OIL, GAS & MINING
	-	
SIGNED Afall Garace	TITLE PROD & DRLG	
•	(This space for Federal or State of	fice use)
APPROVED BY	TITLE	DATE
· · · · · · · · · · · · · · · · · · ·		그림 그 그 그 씨는 그 후 현취 원생 그녀를 그린다. 그 것 같다.

Form Approved.	
Budget Bureau No. 42-R14	12

•	Him LED STATES	5. LEASE	•
DEPARTM	ENT OF THE INTERIOR	SI	4_071403-A
GEO	LOGICAL SURVEY		ALLOTTEE OR TRIBE NAME
	S AND REPORTS ON WEL sals to drill or to deepen or plug back to a c such proposals.)	different	EEMENT NAME
reservoir. Ose Form 5-331-C for	Such proposais.)		• 📻
1. oil A gas well	other	9. WELL NO.	
2. NAME OF OPERATOR		13-4	
CONSOLIDATED OI	L & GAS. INC.		WILDCAT NAME
3. ADDRESS OF OPERAT		DESERT	
P.O. BOX 2038,	FARMINGTON, NEW MEXICO 8		R., M., OR BLK. AND SURVEY OR
4. LOCATION OF WELL (F	REPORT LOCATION CLEARLY. See sp.	ace 17 AREA	
below.)			T40S, R23E
AT SURFACE: 21 AT TOP PROD. INTER	40' FSL & 660' FWL	1	DR PARISH 13. STATE
AT TOTAL DEPTH:		SAN JU	AN UTAH
16 CHECK APPROPRIATE	BOX TO INDICATE NATURE OF N	OTICE 14. API NO.	
REPORT, OR OTHER		· · · · · · · · · · · · · · · · · · ·	NS (SHOW DF, KDB, AND WD)
		45991	•
REQUEST FOR APPROVAL	TO: SUBSEQUENT REPORT	OF:	
TEST WATER SHUT-OFF			
FRACTURE TREAT SHOOT OR ACIDIZE		7	•
REPAIR WELL	H H	(NOTE: Report	results of multiple completion or zone
PULL OR ALTER CASING			e on Form 9–330.)
MULTIPLE COMPLETE			
CHANGE ZONES ABANDON*	님 ! 님		
(other)		*** ***	Storage Control of the Control of th
		ų Ž	
including estimated da	O OR COMPLETED OPERATIONS (Clear ate of starting any proposed work. If rtical depths for all markers and zones	well is directionally drille	ed, give subsurface locations and
8-25-82 DST	#1 Desert Creek Formation	5407! to 5496!	
Reco	vered 360' gas cut drilli	ng mud.	
			그렇다. 된 사는 회사 왕호 과장 사람
8-26-82 Sch1	umberger ran IES, FDC-CNI	, sonic loggers	T.D. 5551'.
8-27-82 Ran	5 1/2" 15.5# K-55 casing	Cmt d @5549	00 54-50-50 Boz
<b>2</b> % g	el. Plug Dn 3:30 a.m. 8-2	27-82.	A CELVISION
•			J##
			SEP 21 1982
		\$ }	
e e		<b>1</b>	DIVISION OF
Subsurface Safety Valve: N	Manu. and Type	01	L. GAS MINING Ft.
18. I hereby certify that th	e foregoing is true and correct	.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\.\	
SIGNED A FILLE	ekachen Inte DRLG &	PROD SUPIT DATE	August 30, 1982
	(This space for Federal o	r State office use)	
APPROVED BY	TITLE	DATE	
CONDITIONS OF APPROVAL,		5.,,,,	

oil

well

gas

well

Subsurface Safety Valve: Manu. and Type \_

CONDITIONS OF APPROVAL, IF ANY:

APPROVED BY

18. I hereby certify that the foregoing is true and correct

2. NAME OF OPERATOR

#### UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

other

5	LEASE	- 4	
"		1403-A	
6	IF INDIAN, ALLO		DIDE MARKE
] 3.	II INDIAN, ALL	I I EE UK II	CIDE NAME
<del></del>	LINUT ACRESTA	NIT NIABAR	37.47
′·	UNIT AGREEME	NI NAME	
			<u> </u>
8.	FARM OR LEASI		
	BLUFF	*	
9.	WELL NO.		
	13-4	the second second	
10.	FIELD OR WILD	CAT NAME	
	DESER	T CREEK	
11.	SEC., T., R., M.		
	AREA	A. 6.1	
	SEE. 4. T4		
12.	COUNTY OR PA		
	SAN JUAN		UTAH
	API NO.	<del></del>	
15	ELEVATIONS (S	SHOW DF 1	(DB. AND W
T.			, , , , , , ,
10.	4599 GR		
	4599 GR		1 2 2 2 2 2 2
	4599 GR		
	4599 GR		
<u> </u>	IOTE: Report result:		ompletion or z
<u> </u>			ompletion or z
	IOTE: Report result:		ompletion or z
	IOTE: Report result:		ompletion or z
	IOTE: Report result:		ompletion or z

SUNDRY	<b>NOTICES</b>	AND	REPORTS	ON	WELLS
(Do not use this fo reservoir. Use Form	rm for proposals	s to drill o	or to deepen or places.)	lug bac	k to a different

CONSOLIDATED OIL & GAS, INC. 3. ADDRESS OF OPERATOR P.O. Box 2038, Farmington, New Mexico 8740 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space AT SURFACE: 2140' FSL & 660' FWL AT TOP PROD. INTERVAL: AT TOTAL DEPTH: 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOT REPORT, OR OTHER DATA REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL PULL OR ALTER CASING MULTIPLE COMPLETE **CHANGE ZONES** ABANDON\* (other) DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly including estimated date of starting any proposed work. If well measured and true vertical depths for all markers and zones per 9-4-82 Perf Aka 5522' - 28' .40 dia holes, 1 spf Acidize Aka w/500 gal 28% HCL NE-FE & 10 NCRB's 4100 psi @ 2.5 bpm. 9-7-82 Swb test well. Rec 48 bbl total fluid. Set CIBP @ 5520' Pr test 2500 psi 15 min.

(This space for Federal or State office use)

TITLE Drilling Foreman DATE September 16, 1982

			d.		
**	For				

# UNITED STATES DEPARTMENT OF THE INTERIOR

UNITED STATES DEPARTMENT OF THE INTERIOR	5. LEASE SL. 071403-A
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.)	7. UNIT AGREEMENT NAME
1. oil gas other well well other	8. FARM OR LEASE NAME BLUFF 9. WELL NO.
2. NAME OF OPERATOR CONSOLIDATED OIL & GAS, INC.	13-4 10. FIELD OR WILDGAT NAME
3. ADDRESS OF OPERATOR P.O. BOX 2038, FARMINGTON, NEW MEXICO 87401	DESERT CREEK  11. SEC., T., R., M., OR BLK. AND SURVEY OR
4. LOCATION OF WELL (REPORT LOCATION CLEARLY, See space 17 below.) AT SURFACE: 2140' FSL & 660' FWL AT TOP PROD. INTERVAL: AT TOTAL DEPTH:	AREA SEC. 4, T405; R23E 12. COUNTY OR PARISH 13. STATE SAN JUAN UTAR
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	14. API NO.  15. ELEVATIONS (SHOW DF, KDB, AND WD)  4599 GR
REQUEST FOR APPROVAL TO:  SUBSEQUENT REPORT OF:  TEST. WATER SHUT-OFF  FRACTURE TREAT  SHOOT OR ACIDIZE  REPAIR WELL  PULL OR ALTER CASING  MULTIPLE COMPLETE  CHANGE ZONES  ABANDON*  (other)	(NOTE: Report results of multiple completion or zone change on Form 9-330.)
<ul> <li>DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly statincluding estimated date of starting any proposed work. If well is different measured and true vertical depths for all markers and zones pertiner</li> <li>9-7-82 Perforate Desert Creek 5476! - 5452!</li> <li>9-8-82 Spot 200 gal 7½% acid. Acidize w/100</li> </ul>	urectionally drifled, give subsurface locations and to this work.)*  .40 dia holes 1 spf
Swb test well Rec 89 bbl from acid j 9-10-82 Acidize w/6000 gal 28% NE-FE & 96,000 Avg rate 5 bpm Avg pr 4200 psi	SEF N2 SEP 21 1982
9-11-82 Ran 176 jts 2-7/8" prod string set @ Pump set @ 5474	5512' & 54561 374 rods DIVISION OF OIL, GAS & MINI
Subsurface Safety Valve: Manu. and Type	Set @ Ft.
18. I hereby certify that the foregoing is true and correct	2000年10日 (11年) 秦 2 11日 (11年) 宋皇 (11日) 秦(11日) (11日) 1987年 (11日) - 11日 (11日) 宋明 (11日) (11日) (11日) (11日)
SIGNED Daving Jone TITLE Drilling Fore	man DATE September 16, 1982
(This space for Federal or State off	fice use)
CONDITIONS OF APPROVAL, IF ANY:	

#### UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

SUBMIT IN DUPLICA structions on reverse side)

Budget Bureau No. 42-R355.5											
-	LE		O714		7	L NO.					
	IB	INDIAN,	ALLOTTEE	OR	TRIBE	NAME					

WELL COM	MPLETION C	DR RECOM	PLETION R	EPORT A	ND LOG*	O. IF INDIAN, ALL	OTTER OR TRIBE NAME
1a. TYPE OF WELL	L: OIL WELL	GAS WELL	DRY .	Other		7. UNIT AGREEME	NT NAME
b. TYPE OF COMP				other			
NEW X	WORK DEEP-	PLUG BACK	DIFF.	Other		8. FARM OR LEAS	E NAME
2. NAME OF OPERATO	OR .		7	<u> </u>		Bluf	
Consolidat	ced Oil &	Gas, Inc	. (0)	200		9. WELL NO.	en de la companya de
3. ADDRESS OF OPER			1818	100 / 100 C	•	13-4	
P.OBox - 2	2038, Farm	ington, l	N.M. C. 1874	on S	Por	10. FIELD AND PO	OL, OR WILDCAT
4. LOCATION OF WEL	L (Report location a	clearly and in acc	ordance with any	State require	nents)	Deser	rt Creek
At surface	2140' FSL	& 660' FI	NLTIA (	Ep 28 196	G / 1965	11. SEC., T., R., M. OR AREA	OR BLOCK AND SURVEY
At top prod. inte	erval reported below		in the second se	~ 20		OR AREA	
At total danth	I	ls above	Ou Du	. <i>19</i> 0	?> ?/\$/#	Sec 4, T	40S, R23E
At total depth			11 22 64	S <sub>12</sub> ,			
•			14. PERMITING	On On	ATE ISSUED	12. COUNTY OR PARISH	13. STATE
15. DATE SPUDDED	16 DATE TO REAC	HED   17 DATE	OMBI (Pende to	OF MALE	7-29-82	<u>    San Juan</u>	Utah
8-14-82	16. DATE T.D. BEAC 8-26-82	11. Dais	COMPL. (Metaly to	W. S.			ELEV. CASINGHEAD
20. TOTAL DEPTH, MD 4		BACK T.D., MD & TV	)-14-82	TIPLE COMPL.,	4611 RKE		45991
5550'	*	5520'	HOW MA	NY*	DRILLED	BY	CABLE TOOLS
24. PRODUCING INTER			OTTOM, NAME (M	D AND TVD)*		All	25. WAS DIRECTIONAL
Desert Cre		Ti .		,	, 180 180 180	]	SURVEY MADE
	, , , , , , , , , , , , , , , , , , ,	3410			- 53 (1)		Yes
26. TYPE ELECTRIC A	ND OTHER LOGS RUN	<del>,                                    </del>	······································		- 1	1 27.	WAS WELL CORED
IES-FDC-CN	IL-GR-SP-S	onic			**	,	Mo
<b>2</b> 8.		<del></del>	G RECORD (Repo	ort all strings s	et in well)		No :
CASING SIZE	WEIGHT, LB./FT.			E SIZE		ING RECORD	AMOUNT PULLED
8-5/8"	24#	1490	' 12	2-1/4"	il il	655 sx	None
5-1/2"	15.5#	5549		7-7/8"	100	sx 50-50po:	
							1,0110
3							<u> </u>
29.	LI	NER RECORD			30.	TUBING RECORD	1 3
SIZE	TOP (MD) B	OTTOM (MD) 8	ACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-1/8"	55121	None
31. PERFORATION REC	Opp (Internal size						
	•		\r	32.	<del></del>	ACTURE, CEMENT SQ	UEEZE, ETC.
.40" dia	5476' w/	I SPF,	o peris	DEPTH INTE		AMOUNT AND KIND OF	
• 40 UIA	merer	er i e Sewi i di e		5452!-	5476 70	00 gal 28% 1	HC1
							<u>,                                    </u>
		1		ļ			
33.*	***		PRGT	UCTION		<u> </u>	
DATE FIRST PRODUCTI	ON PRODUCT	TON METHOD (Flo	wing, gas lift, pu		nd type of pump)	WELL STAT	US (Producing or
9-22-82	P	umping				shut-in)	cing
DATE OF TEST	HOURS TESTED	SPX SEX SEX	PROD'N. FOR	OIL—BBL.	GAS-MCF.	WATER-BBL.	GAS-OIL RATIO
9-23-82	24	Pumping	TEST PERIOD	47	103	7	2191
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL-BBL.	GAS-M	CF. WA	TER-BBL. OIL	GRAVITY-API (CORR.)
30	30	<b>│                                    </b>	47	10	)3	7	39.3
34. DISPOSITION OF GA	AS (Sold, used for fu	el, vented, etc.)	:	·	· F	TEST WITNESSED	
- Sold	en transmission comments of the second		· de la company			Ed C	arlson !
35. LIST OF ATTACED	MENTS /	1		<del></del>	y.		
							9, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
36. I hereby certify	that the foregoing	and attached info	ormation is compl	ete and correc	t as determined f	rom all available record	is
SIGNED	hu A	10.10	TITLE Pr	od & T	orlg. Sup	1 +	9-23 <b>-</b> 82
~~~~~	me Kee			<u> </u>	<u> </u>	DATE	7-23-02

# INSTRUCTIONS

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core smallysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments General: This form is designed for submitting a complete and correct well-completion report and log on all types of lands and leases to either a Rederal agency or a State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 38, below regarding separate reports for separate completions. should be listed on this form, see item 35.

fem 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Hem 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Hems 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion); so state in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 38. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval

"Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool. (See instruction for items 22 and 24 above.) Submit a separate completion report on this form for each interval to be separately produced. tem 29:

	P	TRUE VERT. DEPTH			· ·							-							· · · · · · · · · · · · · · · · · · ·		
	TOP	MEAS. DEPTH	1460'	2275	2420	2477	4402		52864	53381	53661	.5480	5507	-			- ;				
, Tri	E/4 4/4	AAMA	Chinle	Shinarump	Moenkopi		Hermosa GP	U. Ismay	L. Ismay	Gothic Sh.	Desert Creek	Chimney Rk. Sh	Akah	77 S				1 × 1 × 1		131	in the
IND SHUT-IN PRESSURES, AND RECOVERIES					2		\					• • • • •			3				\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	3	
SHUT-IN PRESSURES, AND RECOVERIES	CONTENTS, ETC.																				
ND SHUT-IN PRESSURI	DESCRIPTION, CONTENTS,												-								
DEFIN INTERVAL IESIED, CUBRION USED, TIME TOOL OFEN, FLOWING AN	. 1				* · · · ·			-				, ,			· ·	,	· · · · · · · · · · · · · · · · · · ·				
2002	BOTTOM	5	(a) 1 (24)		1:10. 0, p	્રા ફક્ક ફે					-					***************************************		an a		Pija	
a managa tanana	TOP	18 ° 1	V A	<u> </u>	31			The state of the s													
								- 1										***	ছালী		<u> </u>
	FORMATION		. 73					1) and 10 to			· · · · · · · · · · · · · · · · · · ·		· 3						1 2.	N. 1.	



Scott M. Matheson, Governor Temple A. Reynolds, Executive Director Cleon B. Feight, Division Director

4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

December 11, 1982

Consolidated Oil & Gas, Inc. P. O. Box 2038 Farmington, New Mexico 87401

Re: Well No. Bluff #13-4 Sec. 4, T. 40S, R. 23E. San Juan County, Utah

#### Gentlemen:

According to our records, a "Well Completion Report" filed with this office September 23, 1982, from above referred to well, indicates the following electric logs were run: IES-FDC-CNL-CR-SP-Sonic. As of todays date, this office has not received these logs.

Rule C-5, General Rules and Regulations and Rules of Practice and Procedure, requires that a well log shall be filed with the Commission together with a copy of the electric and radioactivity logs.

Your prompt attention to the above will be greatly appreciated.

Sincerely,

DIVISION OF OIL, GAS AND MINING

Cari Furse Clerk Typist

CF/cf



# Consolidated Oil & Gas, Inc.

LINCOLN TOWER BUILDING 1860 LINCOLN STREET DENVER, COLORADO 80295 (303) 861-5252

December 22, 1982

Oil & Gas Mining Division of Utah 1588 West, North Temple Salt Lake City, Utah 84116



### Gentlemen:

Enclosed please find the complete set of logs run on the Bluff 13-4 in Section 4, T40S, R23E, San Juan County, Utah.

If we can be of further assistance to you, please advise.

Yours very truly,

CONSOLIDATED OIL & GAS, INC.

Brenda Water

Brenda Waters

Operations Secretary

BW /

Enclosure

# RECEIVED

FEB - 3 1986

DIVISION OF OR GAS & MINING

# CONSOLIDATED OIL & GAS, INC. - SAN JUAN COUNTY, UTAH WELLS

WELL NAME	LOCATION	COUNTY	LEASE NO.
AKAH 1	NE/4 33-42S-22E	SJ	14-20-603-236
BLUFF 3	NW/NW/4 4-40S-23E	ŞJ	SL 071403A
BLUFF 13-4	"	SJ	, II
BLUFF 24-5	II .	SJ	11
BLUFF 42-5	11	SJ	11
BLUFF 44-5	Ħ	SJ	11
DESERT CREEK 2	SE/4 35-41S-23E	SJ	14-20-603-248
RECAPTURE CREEK 1	SE/SW/4 21-40S-23E	SJ	U 01890
RECAPTURE CREEK 2	SW/4 ·21-40S-23E	SJ	ti .
RECAPTURE CREEK 3	SE/4 21-40S-23E	SJ	<i>7</i> π
TOHONADLA 1	SE/4 35-41S-21E	SJ	14-20-603-229
TOHONADLA 23-35	SW/4 35-41S-21E	SJ ·	11
TOHONADLA 32-35	NE/4 35-41S-21E	SJ	11
TOHONADLA 36-1	SW/4 36-41S-21E	SJ	11
TOHONADLA 41-25	NE/4 25-41S-21E	SJ	11
TOHONADLA 41-35	NE/4 35 41S-21E	SJ	ff .
TOHONADLA 43-35	SE/4 35-41S-21E	SJ	n ,
TOHONADLA TRACT 23-1	NE/4 02-42S-21E	SJ	14-20-603-270





Consolidated Oil & Gas, Inc.

DIVISION OF OIL GAS & MINING

FEB - 3 1986

P. O. BOX 2038 FARMINGTON, NEW MEXICO 87499 (505) 632-8056

January 29, 1986

State of Utah Division of Oil, Gas & Mining 3 Triad Center, Suite 350 Salt Lake City, Utah

RE: Name Change of Principal from Consolidated Oil & Gas, Inc. to Columbus Energy Corporation

### Gentlemen:

Consolidated Oil & Gas, Inc. requests a name change of principal to Columbus Energy Corporation. This name change will include all Federal, Indian, State and Fee wells operated by Consolidated Oil & Gas, Inc. in Utah. The attached list contains well names, lease numbers and locations for all Federal and Indian leases operated in Utah.

Well signs have been changed to Columbus Energy Corp. and the required oil & gas bonds have been filed.

Please contact our Farmington office if you need any additional information.

Thank You,

Dále Richardson

Production & Drilling Sup't.

Attach.

NATURAL RESOURCES
OIL, GAS AND MINING

Ph. (801)538-5340

## NOTICE OF TRANSFER OF OWNERSHIP

CONCOLIDATED	OTI 9 CAC THO	/FOF\/70 00F/
Present operator: CONSOLIDATED		
P.O. BOX 203	8	<del></del>
city: FARMINGTON state:	N.M. zip: 87499	
well no.: 13-4	Field or Uni	t name: BLUFF
sec.: 4 twp.: 405 Rng.: 23E	county: SAN JUAN	Lease no. <u>SL 071403A</u>
Effective date of transfer: De		
	flace disha	edser
	Signature of Present of	pperator
	<u>April 7, 1986</u>	
	Date	
New operator: COLUMBUS ENERGY	CORPORATION	·
P 0 R0V 2078		·
	N M 07/00	
CIty: FARMINGTON State	: N.M. zir: 8/499	
	The file	Me
	Signature of new oper	Btor
	April 7, 1986	
	Date	
(This space for DOGM approval)		
•		•
		· · · · · · · · · · · · · · · · · · ·
		•

Form DOGM-UIC-5 (2/86)



# Columbus Energy Corp.

AUG 13 1990

OIL, GAS & MINING

LINCOLN TOWER BUILDING 1860 LINCOLN STREET DENVER, COLORADO 80295 (303) 861-5252

August 9, 1990

Bluff #13-4 43.037-30726 4, 405, 23E
Bluff #42-5 43-037-30866 5, 405, 23E

State of Utah Division of Oil, Gas & Mining 3 Triad Center, Suite 350 Salt Lake City, UT 84180-1203

Re: Bluff Unit

Hermosa (Penn) Participating

Area

### Gentlemen:

Attached for your file and information is a copy of our application to the Bureau of Land Management to place the Bluff 13-4 and Bluff 42-5 in the Hermosa (Penn) Participating Area. The two wells are within the boundary of the established participating area but have never been officially brought into the participating area.

As mentioned in our application, Columbus has treated both wells as if they were in participating area from the date of first production.

Should you have any questions, please let us know.

Yours very truly,

COLUMBUS ENERGY CORP.

J. D. Stewart, Jr. Operations Manager

JDS:b1

Enclosures

cc: P. Meyer

J. Sundine

L. Berglund

OIL AND GAS						
DFN	2	ALA				
4 JPB	3	GLAL.				
DIS	5-	SLS				
1-TAS	/	)				
6-584						
7-LCR						
MICRO	FILM					
P Fi	E					
	/					



# Columbus Energy Corp.

LINCOLN TOWER BUILDING 1860 LINCOLN STREET DENVER, COLORADO 80295 (303) 861-5252

August 9, 1990

Bureau of Land Management 324 S. State, Suite 301 Salt Lake City, UT 84111

Re: Application to Include
Bluff 13-4 and Bluff 42-5 Wells
Hermosa (Penn) Participating Area
Bluff Unit
San Juan County, Utah

### Gentlemen:

Columbus Energy Corp. is making application to include the Bluff 13-4 well and the Bluff 42-5 well in the established Hermosa (Penn) Participating Area. The Bluff 13-4, located in the NW/4 SW/4 of Section 4, T40S, R23E, was completed September 14, 1982. The initial potential for the well was 47 BOPD with a GOR of 2191. The Bluff 42-5, located in the SE/4 NE/4 of Section 5, T40S, R23E, was completed September 8, 1983. The initial potential for this second well was 110 BOPD with a GOR of 1136.

Both wells are physically located within the Hermosa (Penn) Participating Area as is shown in Figure No. 1, "Bluff Unit, San Juan County, Utah." Since the date of first production, both wells have been treated with respect to royalty and production taxes as being included in the participating area. Columbus has inadvertently overlooked making application to the BLM to have these wells officially included in the Hermosa (Penn) Participating Area and is now making the application to be effective from the date of first production for each well. As previously indicated, production taxes and royalties to date have been distributed as if each well had been a Participating Area well.

Each well can be considered as a well capable of producing in paying quantities. Also, log and pressure data show that each well is producing from the same formation as other wells already included in the participating area. To avoid confusion, the data for each well will be presented separately.

The production curve for Bluff 13-4 is shown in Figure No. 2. As of May 31, 1990, this well has produced 28,142 BO and 211,300 mcf gas, resulting in approximate revenue of \$1,093,312 (\$652,204 from oil sales and \$441,108 from gas and NGL sales) after taxes and transportation charges. After deducting for royalties, \$927,129 has been generated to provide for paying both the initial cost of the well (\$392,532) and the monthly operating costs. The well continues to be profitable, producing 8 BOPD and 53 mcfd. Operating expenses

Bureau of Land Management Bluff 13-4 and Bluff 42-5 August 9, 1990 Page 2

are \$1200/month and expense to income ratio is 0.29. From all indications, the well is capable of producing in pay quantities.

In support of our application for Bluff 13-4 attached is Figure No. 3, a copy of the bottom hole pressure measurement results from measurements taken on September 13, 1982. The pressure, 883 psi, was taken after the well had been shut in for  $66\frac{1}{2}$  hours. The pressure was representative of the Desert Creek formation pressure at the well since very little oil had been produced up to the time of the test. The well had only been perforated, acidized and swabbed to remove the acid prior to the test. As a comparison, initial reservoir pressure in the Desert Creek obtained from a DST on the Bluff #3 well in 1956 was 2260 psi at 5642'. The Bluff #3 was the initial well in the participating area. The BHP taken from the Bluff 44-5, a second well in the participating area, was 1536 psi at 5512' on July 12, Additional depletion of reservoir pressure occurred as these two wells along with the third well in the participating area, the Bluff 24-5, continued to produce. The cumulative production from the three wells at the time the Bluff 13-4 was completed was 572,964 BO and 663,192 mcf. From the pressure data then, it appears the Bluff 13-4 is in communication with the other wells in the Hermosa (Penn) Participating Area.

Finally, in support of our application for inclusion of the Bluff 13-4 in the participating area, copies of a portion of the porosity logs for the Bluff 13-4, Bluff #3 and the Bluff 44-5 are attached as Figure Nos. 4, 5, and 6. On each log the following tops are indicated: Gothic Shale, Desert Creek, 'C' Shale below the Desert Creek and Akah. The perforated intervals are also shown for the Bluff 13-4 and Bluff 3 wells. The Bluff 44-5 was completed open hole. From the Figures it can be seen that the producing interval in the lower portion of the Desert Creek is the same producing interval in the two other wells that are within the participating area. On this basis, the Bluff 13-4 should be included in the participating area. Columbus does not recommend expanding the participating area at this time, since the production history of the well does not support an enlargement.

The production curve for Bluff 42-5 is shown in Figure No. 7. As of May 31, 1990, this well has produced 11,652 BO and 28,276 mcf resulting in approximate revenue of \$263,322 (\$177,305 from oil sales and \$86,016 from gas and NGL sales) after taxes and transportation charges. After deducting for royalties, \$223,297 has been generated to provide for paying the cost of the well and for operating cost. The initial cost of the well was \$302,492 and the well has not yet paid out. However, the well is currently producing 4.5 BOPD and 6 mcfd and the operating costs are less than \$1000/month. With current net income of about \$2100/month the well continues to produce in paying quantities and, as such, should be officially included in the participating area.

Bureau of Land Managment Bluff 13-4 and Bluff 42-5 August 9, 1990 Page 3

Pressure data for the Bluff 42-5 is also available. As shown on Figure No. 8, the BHP taken on September 12, 1983, was 692 psi at 5650'. Again, this is well below the original pressure of 2260 psi initially taken from the Bluff #3 well. Also, this pressure was taken one year after the pressure from the Bluff 13-4 well presented previously. As with the Bluff 13-4, the pressure taken from the Bluff 42-5 should be representative of the Desert Creek reservoir pressure in the area since only a minimal amount of production occurred from the well prior to running the pressure test. Cumulative production from the three Bluff Unit wells at the time of the pressure test was 579,653 BO and 682,076 mcf and cumulative production from the Bluff 13-4 at the same time was 8,497 BO and 42,311 mcf. It is clear that the pressure exhibited in the Bluff 42-5 resulted from depletion of reservoir pressure by producing the other wells within the participating area.

To further substantiate communication of the Desert Creek formation in the Bluff 42-5 well with the other wells in the participating are, attached is Figure No. 9, a porosity log from the well. Note that the same markers are indicated on the log and that the producing interval is the same lower Desert Creek marked on the logs previously described. On this basis the Bluff 42-5well should be included in the Hermosa (Penn) Participating Area as well. As with the Bluff 13-4, expansion of the participating area beyond the Bluff 42-5is not warranted based on the available production data.

From the evidence shown, both the Bluff 13-4 and Bluff 42-5 should be included in the Hermosa (Penn) Participating Area. If you have any questions in this regard or if you need further information, please advise.

Yours very truly,

COLUMBUS ENERGY CORP.


Operations Manager

JDS:b1


Enclosures

cc: State of Utah Division of Oil, Gas & Mining

- P. Meyer
- J. Sundine
- L. Berglund



BLUFF UNIT SAN JUAN COUNTY, UTAH



1000

2000

	FIGURE NO.
₹:	to but discribed to book and in g
<b>X</b> EFTEL	LER, INC.
	reservoir engineering data

Page	3	of	3	
•	2-13	900-B	U	

MIDLAND, TEXAS CONSOLIDATED OIL & GAS, INC. Lease \_ **BLUFF** Well No. 42-5 BLUFF Field \_\_ SAN JUAN State UTAH


Formation DESERT CREEK 1983 Status of Well Shut-in 89½ hours DEPTH **PRESSURE** GRADIENT 900-Feet Psig Psi/Ft. 208 2000 219 0.006 4000 231 0.006 5250 502 0.217 5450 597 0.475 750 5650 692 0.475 600-Datum Pressure Psig 450 300-150-Elev. 4737' GL Datum Total Depth 5692 5608-5629 Ft. Perf. **Tubing 2 7/8** 5548 in. to Ft. Casing in. to Ft. Casing Press. 580 Tubing Press. 208 Oil Level NONE Water Level 4689 Temperature 138 °F@ 5650 Ft. Element No. 44537 Range 0-3000 Last Test Date Pressure Last Test Date Psig B.H.P. Change


5000


6000

7000

3000







# STATE OF UTAH DIVISION OF OIL, GAS AND MINING

		L LEASE DESIGNATION & SERIAL NO.
SUNDRY NOTICES AND REPORTS C (Do not use this form for proposals to drill or to deepen of plug ba Use "APPLICATION FOR PERMIT—" for such	ck to a differenti reservoir.	THE STATE OF TRIBE NAME
OIL GAS OTHER	SEP 24	1990
Columbus Energy Corp.	DI AGIA	8. FARM OR LEASE NAME
J. ADDRESS OF OPERATOR	_ Sic. On G a	is WEET NO.
1860 Lincoln Street, Suite 1100, Denver, C		*
See also space 17 below.) At native	u-ement.	10. FIELD AND POOL, OR WILDCAT
*See attached exhibit		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
	<u> </u>	<b>1</b> :
14. API NO. 15. ELEVATIONS (Show whether DF	, RT, GR, etc.)	San Juan Utah
Check Appropriate Box To Indicate N	ature of Notice Benort or Oth	
NOTICE OF INTENTION TO:	• •	JENT REPORT OF:
TEST WATER SHUT-OFF PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING WELL
FRACTURE TREAT MULTIPLE COMPLETE	FRACTURE TREATMENT	ALTERING CASING
SHOOT OR ACIDIZE ABANDON	SHOOTING OR ACIDIZING	ABANDONMENT*
REPAIR WELL CHANGE PLANS	(Other)	
To resign as operator		of multiple completion on Well appletion Report and Log form.)
APPROX. DATE WORK WILL START	DATE OF COMPLETION	•
pertinent to this work.) 9/21/9	0 * Must be accomp	nanied by a cement verification report
Gentlemen:	•	
Effective 12:01 A.M. October 1, 1990, Colu of the wells listed on the attached Exhibit. title owner, will become the successor oper	umbus Energy Corp. Sterling Energy Co ator.	will resign as operator orporation, the record OIL AND GAS
		DEN PUE
		o <sup>t</sup> B GLH
	•	JUS SLS
	•	1
		let
		He
		MICROFILM
18. I hereby certify that the foregoing is true and correct		FILE.
SIGNED Gay M. DRY TITLE	and Manager	DATE 9/21/90
Gary. Ahlfenger		
APPROVED BY TITLE CONDITIONS OF APPROVAL, IF ANY:		DATE

# STATE OF UTAH DIVISION OF OIL, GAS AND MINING

D	ECONVEN	
UU U	SEP 2 1 189 Destand	-

		SEP 2	1 189 DESTONATI	ON 4 SERIAL NO.
•			^	
CHAIDBY MOTIC	CES AND REPORTS (	ON WELLS Off Cros	H OFINDIAN, ALLOT	TEE OR TRIBE NAME
(Do not use this form for proposa		ack to a different reservoir.	MINING *	
L OIL CO GAS DA			T. UNIT AGREEMENT	NAME
WELL WELL A OTHER			*	•
2 NAME OF OPERATOR Storling Enougy Cor	nountion		8. FARM OR LEASE !	AME.
Sterling Energy Cor	poration		19. WELL NO.	**************************************
1801 Broadway, Suit	e 600. Denver. CO	80202	*	•
4. LOCATION OF WELL (Report location clearly			10. FIELD AND POOL	OR WILDCAT
See also space 17 below.) At rarriace			*.	•
At proposed prod. zone *See	attached exhibit		11. SEC., T., R., M., O SURVEY OF	
	`		* .	•
14. API NO.	15. ELEVATIONS (Show whether D	F, RT, GR, esc.)	12 COUNTY	13. STATE
		<u> </u>	San Juan	Utah
16. Check Ar	oropriate Box To Indicate N	lature of Notice, Report or Oth	ner Data	
NOTICE OF INTENT	•	•	UENT REPORT OF:	
F			7	<del></del> 1
	LL OR ALTER CASING	WATER SHUT-OFF	<del>-</del>	NG WELL
	ANDON	FRACTURE TREATMENT SHOOTING OR ACIDIZING	<del></del> -(	IG CASING
	ANGE PLANS	(Other) Change of	Operator	731571
(Other)		(Note: Report results Completion or Recor	of multiple completion pletion Report and	
APPROX. DATE WORK WILL START		DATE OF CHEM-OPER	ator	
Gentlemen:  Effective October 1, wells listed on the at	9/21/90 1990, Sterling Ener		panied by a cement	verification report.
of record. Sterling	has been record tit	le owner since Augus	st of 1989. F	
		J	į	OIL AND GAS
				DEN BUF
		•		
				Jr.B GLH
				DIS . SLS
	•		7177 7177	le -
		•		YCCR
			-	
•			· .	MICROFILM
•				Fr. F
18. I hereby certify that the foregoing is	thormon			EUC.
signed July J. Space	othermon	ngineer	DATE	9/21/90
(This space for Federal or State office	7,0,000			
Camp June 10t CouciAL OF STATE OFFICE	is wat.			
APPROVED BY	ANY:		DATE	·

seçûtel.wkl

# Exhibit to Sundary Notice State of Utah Sterling Energy Corporation (owner of record)

е				
ion [	DEF	TO F	روقاق.	- 1 Marie
1		13.13		
L	SED Field	21	1000	
ge.	Field	۲F	1990	=@bui
===	=====	Sine.		===
	L		* \$1"	

				· vrs	SED O. 4.		
Well Name	1/4/14	Sec.	Twn.	Rge.	Field 24 1990	County	State
	======	====	====	====	=====\(\frac{1}{2}\lands\(\text{10}\lands\(\text{0F}\)\)	====	====
					Cir Controls OF		
					Cil. and a mining		
Bluff(Unit) ###3*	WNWN	4	40S	23E	Bluff 43-037-1588		Utah
Bluff(Unit) #24-5	SESW	5	40S	23E	Bluff 42-037.1536	San Juan ہے	Utah
Bluff(Unit) #44-5	SESE	5	40S	23E	Bluff43-027-1586	San Juan	Utah
Bluff # 42-5	SENE	5	40S	23E	Bluff43-037-308	LSan Juan	Utah
Bluff # 13-4	WSWN	4	40S	23E	Bluff 43-037-307	. San Juan	Utah
DEGLESA	MACH	• •					
Desert Creek # 2	SESE	35	415	23E	Desert Ck.	San Juan	Utah
Desert Creek # 2	םטטם	00		202	202020 011.		
Recapture Creek # 1	SESW	21	40S	23E	Recapture Ck.	San Juan	Utah
Recapture Creek # 2		21	40S	23E	Recapture Ck.	San Juan	
Recapture Creek # 3		21	40S	23E	Recapture Ck.	San Juan	
Recapture Creek	# IAMOR	2.1	400	206	necapoure on.	ban odan	. 00011
Tohonadla # 1	SWSE	35	41S	21E	Tohonadla	San Juan	Utah
Tohonadla # 41-25	NENE	25	415	21E	Tohonadla	San Juan	
	NESW	35	41S	21E	Tohonadla	San Juan	
Tohonadla # 23-35			•				
Tohonadla # 36-1	SWSW	36	41S	21E	Tohonadla	San Juan	
Tohonadla # 41-35	NENE	35	415	21E	Tohonadla	San Juan	
Navajo Tr. #23-1	NENE	2	42S	21E	Tohonadla	· San Juan	utan

Desert Creek #2 - 43\_037-15868

Recapture Creek #1 - 43-037-1587/

Recapture Creek #2 - 43-037-20727

Recapture Creek #3 - 42-037-30926

Tohonadla = 1 - 42-027-15872


Tohonadla = 41-25 - 43-027-15876

Tohonadla = 22-25 - 43-027-15874

Tohonadla = 36-1 - 43-027-20854

Tohonadla = 41-35 - 43\_027-15877

NAVaio Tr. #23-1 - 43-027-15540



## DESIGNATION OF AGENT OR OPERATOR - FORM 5

The undersigned is, on record, the holder of oil and gas lease						
LEASE NAME: See attached exhibit						
LEASE NUMBER: See attached exhibit						
and hereby designates						
NAME: Trinity Petroleum Management, Inc.						
ADDRESS: 1801 Broadway, Suite 600, Denver, CO 80202						
as his agent/operator, with full authority to act in his behalf in complying with the terms of the lease and regulations applicable thereto and on whom the Division Director or Authorized Agent may serve written or oral instructions in securing compliance with the Oil and Gas Conservation General Rules and Procedural Rules of the Board of Oil, Gas and Mining of the State of Utah with respect to (describe acreage to which this designation is applicable):						
See attached exhibit  OIL AND GAS						
DEN 215						
V 9 12 T me Sup-Operating Agreement "for JEB GIH						
I All of Mait Steeling Energy has to DIS SLS						
had hearting for these wells and						
accept designate Trinity Petro as Agent - July						
# 90+205 per Sub-Operating Agreement for  the bluff Unit, Sterling Energy has to  do the reparting for these wells, and  rannot designate Trinity Petro as Agent  to report for them,  for  MICROFILM  FLE						
40 TEPOTT TO MICROFILM						
FLE						
It is understood that this designation of agent/operator does not relieve the lessee of responsibility for compliance with the terms of the lease and the Oil and Gas Conservation General Rules and Procedural Rules of the Board of Oil, Gas and Mining of the State of Utah. It is also understood that this designation of agent or operator does not constitute an assignment of any interest in the lease.						
In case of default on the part of the designated agent/operator, the lessee will make full and prompt compliance with all rules, lease terms or orders of the Board of Oil, Gas and Mining of the State of Utah or its authorized representative.						
The lessee agrees promptly to notify the Division Director or Authorized Agent of any change in this designation.						
Effective Date of Designation 10/1/90 By: JUB						
Company Sterling Energy Corporation Title: President Samuel Butler						
Address 1801 Broadway, Suite 600						
Denver, CO 80202 Phone: 303-296-1908						

segitel.wkl

## Exhiat to Sundary Notice State of Utah Sterling Energy Corporation 7

(owner of record)

Well Name	1/4/14		Twn.	Rge.	Field 24 1990	Dounty	State
	,	game dame device spirits	**************************************		CIL, and a milling	====	====
Bluff(Unit) # 3 Bluff(Unit) # 24-5 Bluff(Unit) # 44-5 Bluff # 42-5 Bluff # 13-4	NWNW SESW SESE SENE NWSW	4 5 5 5 4	40S 40S 40S 40S 40S	23E 23E 23E 23E 23E	Bluff 43-037-1536 Bluff 43-037-1536 Bluff 43-037-3536 Bluff 43-037-307	San Juan San Juan San Juan	Utah Utah Utah
Desert Creek # 2	SESE	35	415	23E	Desert Ck.	San Juan	Utah
Recapture Creek # 1 Recapture Creek # 2 Recapture Creek # 3	SESW NWSW NWSE	21 21 21	40S 40S 40S	23E 23E 23E	Recapture Ck. Recapture Ck. Recapture Ck.	San Juan San Juan San Juan	Utah
Tohonadla # 1 Tohonadla # 41-25 Tohonadla # 23-35 Tohonadla # 36-1 Tohonadla # 41-35 Navajo Tr. #23-1	SWSE NENE NESW SWSW NENE NENE	35 25 35 36 35 2	41S 41S 41S 41S 41S 42S	21E 21E 21E 21E 21E 21E	Tohonadla Tohonadla Tohonadla Tohonadla Tohonadla Tohonadla	San Juan San Juan San Juan San Juan San Juan	Utah Utah Utah Utah

Desert Creek #2 -- 42-037-15868 Recapture Creek #1 - 43-037-1587/ Recapture Creek#2 - 43-027-20727

Recapture Creek #3 - 42-037-30926

Tohonadla #1 - 43-027-15872-Tohonadla = 41-25 - 43-037-15876 Tohonadla #22-25-43-027-15874 Tohonadla #36-1-43-037-30854 Tohonad14 # 41-35 -43\_037-15877 NAVANO Tr. #23-1 - 43-037-15540

3160 (U~922)

Hovember 25, 1990

Sterling Energy Corp 1801 Broadway, Suite 600 Denver, Colorado 80202

Re: Sub-Operating-Agreement; Stuff-Unit, Hermosa PA, San Juan County, Utah 8920007820

----Gentlemen:

The last transfer of the same

We have received a copy of "Sub-Operating Agreement" executed by Rugan Production Corporation, unit operator of the Bluff Unit Agreement, San Juan County, Utah, and by Sterling Energy Corp., dated October 1, 1990. The agreement makes Sterling Francy Corporation operator as to the Desert Creek Formation for the Pands described thesely.

Inasmuch as it appears that operations conducted under the terms of this sub-operating agreement will be conducted subject to the terms of the Bluff Unit and unit operating agreements, the sub-operating agreement is accepted for the record and is being distributed to the appropriate Federal offices. However, it is expressly understood and agreed that nothing in the sub-operating agreement shall be construed or shall operate to relieve Dugan Production as unit operator from it's obligations and responsibilities under the Bluff Unit Agreement. To the extent that the "Sub-Operating Agreement" is inconsistent with terms and conditions of the Bluff Unit Agreement, such terms and conditions of said unit agreement shall prevail.

The sub-operating agreement shall remain in affect so long as the sub-operating zone remains part of the unit area or it is terminated in accordance with Section 9 of the said agreement. In such case, it is expressly understood that the agreement is effective until notification of its termination is received by this office.

Pursuant to regulations issued and effective June 17, 1988, all operations within the "sub-operating zone" will be covered by your nationwide oil and gas bond No. 000944.

(Ong. Sgd.) R. A. Henricks

Robert A. Henricks Chief, Branch of Fluid Minerals

Enclosure

cc: Bugan Production Corp. w/enclosure

Bluff Unit File w/enclosure
Agr. Sec. Chron.
Fluid Chron
MCoulthard:jw:11/23/90
0128V

cc: STRA Hirs

blac lain 40

88013293940 6.02

ÐΤ

DEC-15-1880 03:586M EKON BLM MOAB DISTRICT

DIVISION STATE OF	DE DIL.	GAS	AND	МІЙІЙС
FNTTTY	ACTION	FOI	ЗМ _	FORM 6

(3/89)

STERLING ENERGY CORPORATION OPERATOR 1801 BROADWAY, SUITE 600 ADDRESS DENVER, CO 80202

OPERATOR ACCT. NO. N 5945

Phone No. (\_\_\_\_)

(303) 296-1908 CURRENT ACTION NEW API NUMBER WELL NAME WELL LOCATION SPUD **EFFECTIVE** CODE ENTITY NO. ENTITY NO. SC COUNTY TP RG DATE DATE D 6245 11146 43-037-30866 BLUFF #42-5 SENE 5 40S 23E SAN JUAN 8-11-83 10-1-90 WELL 1 COMMENTS: \*\*OPERATOR CHANGE FROM COLUMBUS ENERGY CORP. \*\*BLUFF UNIT/HRMS PA (PER UIC/DAN DSCR IS A MEMBER OF THE PRDX PZ, AND THE PRDX PZ IS A MEMBER OF THE HERMOSA GROUP) 11146 10-1-90 6250 43-037-15864 BLUFF #3 NWNW 40S 23E SAN JUAN 5-17-56 WELL 2 COMMENTS: 11146 5 SAN JUAN 12-27-57 10-1-90 6250 43-037-15865 BLUFF #24-5 SESW 40S 23E D WELL 3 COMMENTS: 11146 SESE. 10-1-90 43-037-15867 BLUFF #44-5 5 23E SAN JUAN 5-30-59 D 6250 40S WELL 4 COMMENTS: 10-1-90 11146 BLUFF #13-4 23E SAN JUAN 8-14-82 6250 43-037-30726 NWSW 40S WELL 5 COMMENTS: ACTION CODES (See instructions on back of form) L. ROMERO (DOGM) A - Establish new entity for new well (single well only) B - Add new well to existing entity (group or unit well)
C - Re-assign well from one existing entity to another existing entity Signature ADMIN. ANALYST 12-17-90 D - Re-assign well from one existing entity to a new entity E - Other (explain in comments section) Title Date NOTE: Use COMMENT section to explain why each Action Code was selected.

	OR-CHANGE HORKSHEET	Routing:
	all documentation received by the division regarding this change. each listed item when completed. Write N/A if item is not applicable.	1- DER G 2- DEROT! 3- VLC V 4- RJF V
	ge of Operator (well sold)   ☐ Designation of Agent  ☐ Operator Name Change Only	5- RWM 6- LOR 11
The op	erator of the well(s) listed below has changed (EFFECTIVE DATE: 10-1-90	)
TO (ne	w operator) STERLING ENERGY CORPORATION (address) FROM (former operator) COLUMBUS END (address) 1801 BROADWAY, SUITE 600 (address) DENVER, CO	ST., #1100
	phone <u>(303 ) 296-1908</u> phone <u>(303 )</u> account no. <u>N 5945</u> account no.	861-5252 N0255
Hell(s	) (attach additional page if needed):	
Name: Name: Name: Name: Name:	BLUFF #42-5/DSCR	ease Type: ease Type: ease Type: ease Type:
OPERATO	OR CHANGE DOCUMENTATION	
for 1.	(Rule R615-8-10) Sundry or other <u>legal</u> documentation has been receive operator (Attach to this form).	d from <u>former</u>
	(Rule R615-8-10) Sundry or other $\underline{\text{legal}}$ documentation has been received from (Attach to this form).	m <u>new</u> operator
<u>f</u> d-3.	operating any wells in Utah. Is company registered with the state? (yes	not currently no) <u>Yes</u> If
<u>fif 4.</u>	(attach Telephone Documentation Form to this report). Make note of comments section of this form. Management review of Federal and Indian changes should take place prior to completion of steps 5 through 9 helow.	BLM status in well operator
a	Changes have been entered in the Oil and Gas Information System (Wang/IBM) listed above. (12-17-90)	for each well
Jul 6.	Cardex file has been updated for each well listed above.	
U .	Well file labels have been updated for each well listed above.	
	Changes have been included on the monthly "Operator, Address, and Account for distribution to State Lands and the Tax Commission.	
Wg.	A folder has been set up for the Operator Change file, and a copy of this placed there for reference during routing and processing of the original do	page has been cuments.

RATOR CHAN	GE WORKSHEET (CONTINUED) Initial each item when completed. Write N/A if item is not applicable.
TITY REVI	
	e R615-8-7) Entity assignments have been reviewed for all wells listed above. Were ty changes made? (yes)no) <u>yes</u> (If entity assignments were changed, attach <u>copies</u> of 5, Entity Action Form).
lcf2. Stat enti	e Lands and the Tax Commission have been notified through normal procedures of ty changes.
ND VERIFI	CATION (Fee wells only)
NA 1. (Rul prop	e R615-3-1) The new operator of any fee lease well listed above has furnished a
MA2. A CC	py of this form has been placed in the new and former operators' bond files.
N/A3. The foda for date	former operator has requested a release of liability from their bond (yes/no)  y's date 19 If yes, division response was made by letter d 19
ASE INTER	EST OWNER NOTIFICATION RESPONSIBILITY
pks g 9 pers 12 noti	e R615-2-10) The former operator/lessee of any fee lease well listed above has been fied by letter dated
t. 5. cobi	es of documents have been sent to State Lands for changes involving State leases.
LMING LMM 1. All	attachments to this form have been microfilmed. Date: Aleenber 19 90.
LING	
rif. Copi	es of all attachments to this form have been filed in each well file.
The Chan	original of this form and the <u>original</u> attachments have been filed in the Operator ge file.
MHENTS	
901205	Bim Mosh Approved eff. 10-1-90. "See Sub-Operating Agreement - Bluff Unit"
71/34-35	

FORM 10

lame and Signature:

STATE OF UTAH

DIVISION OF OIL, GAS AND MINING
355 West North Temple, 3 Triad, Suite 350, Salt Lake City, UT 84180-1203

Page 1	of ]	
rage	of	

## MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS:			UTAH ACCOUNT NUMBER: N5945					
STERLING ENERGY CORP 1801 BROADWAY STE 600 DENVER CO 80202				RT PERIOD (MONTH	Highlight Changes			
Well Name	Producing	Well	Days		Production Volumes			
API Number Entity Location	Zone	Status	Oper	OIL(BBL)	GAS(MCF)	WATER(BBL)		
RECAPTURE CREEK 1 4303715871 06265 40S 23E 21 BLUFF #3	IS-DC			-u01890	"Recogsfure Creak	Unit"		
4303715864 11146 40S 23E 4 BLUFF #24-5	DSCR			- SL071403A	"Eluff Unit"			
4303715865 11146 40S 23E 5 BLUFF 44-5	PRDX			ξι	1/			
4303715867 11146 405 23E 5 BLUFF #13-4	PRDX		_	£/	ч			
4303730726 11146 405 23E 4	DSCR		~	N <sub>L</sub>	(;			
<b>∜3</b> 03730866 11146 405 23E 5	DSCR		-	V	<b>L</b> c			
Recapture Creek 2 43-037-30727 06255 405 236 21 Recapture Creek 3	IS-DC		_	U-01890	Non-Unit Well			
43-039-30926 08450 405 236 21	DSCR			Ù-01890	Non-Unit Well			
				·				
	<u> </u>							
			TOTALS					
OMMENTS:								
			<del></del>					
						· .		
		<del></del>	٠.					
hereby certify that this report is true and complete to	the best of my	knowledge	<b>.</b>	I	Date:	(		

Telephone Number:\_\_\_

## **Basin Operating Com**

370 17th Street, Suite 1800

Denver, CO 80202

Office 303/685-8000


Fax 303/685-8010



November 30, 1994

Ms. Lisha Cordova State of Utah Department of Natural Resources Division of Oil, Gas and Mining 3 Triad Center, Suite 350 355 West North Temple Salt Lake City, Utah 84180-1203

Re: Sterling Energy Corporation Merger and Change of Name



Dear Ms. Cordova:

On November 22, 1994, Basin Energy, Inc., a Colorado corporation, merged into Sterling Energy Corporation, a Colorado corporation, and became Basin Sterling, Inc., a wholly owned subsidiary of Basin Exploration, Inc. Immediately thereafter, Basin Sterling, Inc. merged into its parent corporation, Basin Exploration, Inc., a Delaware corporation.

Sterling Energy Corporation is now, for all purposes, Basin Exploration, Inc. Attached are copies of Certificates of Merger from the states of Colorado and Delaware, evidencing the corporate mergers described above.

The address of Basin Exploration, Inc. is 370 17th Street, Suite 1800, Denver, Colorado. Please change all Sterling Energy Corporation records to reflect the new name and address.

Basin Operating Company (the wholly owned operating subsidiary of Basin Exploration, Inc.) will, by operation of law, become the operator of the properties on December 1, 1994. Sundry notices (Form 9) and exhibits for the properties are enclosed.

Please contact me if you have any additional questions regarding this merger.

Yours very truly,

BASIN OPERATING COMPANY

Enclosure

### State of Delaware

# Office of the Secretary of State

I, EDWARD J. FREEL, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE CERTIFICATE OF OWNERSHIP, WHICH MERGES:

"BASIN STERLING, INC.", A COLORADO CORPORATION,

WITH AND INTO "BASIN EXPLORATION, INC." UNDER THE NAME OF "BASIN EXPLORATION, INC.", A CORPORATION ORGANIZED AND EXISTING UNDER THE LAWS OF THE STATE OF DELAWARE, WAS RECEIVED AND FILED IN THIS OFFICE THE TWENTY-SECOND DAY OF NOVEMBER, A.D. 1994, AT 4:30 O'CLOCK P.M.

AND I DO HEREBY FURTHER CERTIFY THAT THE AFORESAID CORPORATION SHALL BE GOVERNED BY THE LAWS OF THE STATE OF DELAWARE.



Edward J. Freel, Secretary of State

**AUTHENTICATION:** 

7312955

944226741

8330


2289801

DATE:

11-23-94

		_	5. Lease Designation and Senal Number:			
SUNDRY	NOTICES AND REPOR	ITS ON WELLS	6. If Indian, Allottee or Tribe Name:			
Do not use this form for prop Use APPI	cosals to drill new wells, deepen existing wells, or LICATION FOR PERMIT TO DRILL OR DEEPEN to	to reenter plugged and abandoned wells. rm for such proposals.	7. Unit Agreement Name:			
1. Type of Well: OIL A GAS	OTHER:		8. Well Name and Number:			
2. Name of Operator: BAS	IN OPERATING COMPANY		9. API Well Number:			
3. Address and Telephone Number: 370	17TH STREET, SUITE 180 3) 685-8500	00, DENVER, CO 80202	10. Field and Pool, or Wildcat:			
4. Location of Well	ATTACHED		County: SAN JUAN State: UTAH			
11. CHECK APPRO	OPRIATE BOXES TO INDICAT	TE NATURE OF NOTICE, REP	ORT, OR OTHER DATA			
NOTICE OF INTENT (Submit in Duplicate)		SUBS	SUBSEQUENT REPORT (Submit Original Form Only)			
Abandon	□ New Construction	Abandon *	☐ New Construction			
☐ Repair Casing	Pull or Alter Casing	☐ Repair Casing	Pull or Alter Casing			
Change of Plans	☐ Recomplete	Change of Plans	☐ Reperforate			
Convert to Injection	☐ Reperforate	☐ Convert to Injection	☐ Vent or Flare			
☐ Fracture Treat or Acidize	□ Vent or Flare	Fracture Treat or Acidize	☐ Water Shut-Off			
☐ Multiple Completion ☐ Other	☐ Water Shut-Off	Other Change name of corporate mer				
Approximate date work will start		(effective date)	cember 1, 1994  and Recompletions to different reservoirs on WELL PORT AND LOG form.			
		Must be accompanied by a cement verification report.				

Sterling Energy Corporation % Trinity Petro Mgt Inc. 1801 Broadway, Suite 600 Denver, CO 80202



13.	1.000	
Name & Signature	Adus misa	Le adui

TRIEV.P & CHIEF OPERATING OFFICER 11/30/94

# ARTICLES OF MERGER FOR THE MERGER OF BASIN ENERGY, INC., a Colorado corporation, into

a Colorado corporation, into STERLING ENERGY CORPORATION, a Colorado corporation RECEIVED

OF 1894 NOV 22 PH 32 30

SECRETARY OF STATE OF COLORADO

Pursuant to the provisions of Section 7-111-101 of the Colorado Business Corporation Act, the undersigned corporation has caused an officer to execute these Articles of Merger for the purpose of filing with the Secretary of State of the State of Colorado.

### Article I

The "Agreement and Plan of Merger" attached hereto as Exhibit A and incorporated herein by reference has been approved and adopted by the directors and the shareholders of Basin Energy, Inc., a Colorado corporation ("Basin"), in the manner provided by the laws of the State of Colorado and by the directors and the shareholders of Sterling Energy Corporation, a Colorado corporation ("Sterling"), in the manner provided by the laws of the State of Colorado. Sterling is the surviving corporation, however, the name of the surviving entity shall be Basin Sterling, Inc. ("BSI").

### Article II

As to Basin, the number of shares cast for the Agreement and Plan of Merger by each voting group entitled to vote separately thereon was sufficient for approval thereof.

As to Sterling, the number of shares cast for the Agreement and Plan of Merger by each voting group entitled to vote separately thereon was sufficient for approval thereof.

### Article III

The Merger is to be effective on and as of the date upon which these Articles of Merger are filed with the Secretary of State of the State of Colorado.

### Article IV

BSI agrees that it will promptly pay to any dissenting shareholders the amount, if any, to which they may be entitled under the provisions of the Colorado Business Corporation Act with respect to the rights of dissenting shareholders.

### Article V

BSI agrees that it may be served with process in any proceeding for the enforcement of any obligation of Basin and in any proceeding for the enforcement of the rights of a dissenting shareholder against BSI.

Such service of process, if any, shall be sent by registered or certified mail to its principal office at:

Basin Sterling, Inc. c/o Basin Exploration, Inc. 370 Seventeenth Street, Suite 1800 Denver, Colorado 80202

Attention:

Howard L. Boigon

Vice President - General Counsel and Secretary

Executed this 22<sup>nd</sup> day of November, 1994

STERLING ENERGY CORPORATION, a Colorado corporation

By

J. Samuel Butler, President


BASIN ENERGY, INC., a Colorado corporation

By

Michael S. Smith, President

FIELD	WELL NAME	API#	COUNTY	ST	SEC	TWN	RGE	1/4 1/4	LEASE #
									(entity#)
BLUFF	BLUFF 13- 4	430373072600	SAN JUAN	UT	4	40S	23E	NWSW	
<b>ÉLUFF</b>	BLUFF 24-5	430371586500	SAN JUAN	UT	5	40S	23E	SESW	
BLUFF	BLUFF 3	430371586400	SAN JUAN	UT	4	40\$	23E	NWNW	
BLUFF	BLUFF 42- 5	430373086600	SAN JUAN	UT	5	40S	23E	SENE	
BLUFF	BLUFF 44-5	430371586700	SAN JUAN	UT	5	40S	23E	SESE	
								·	
DESERT CREEK	DESERT CREEK 2	430371586800	SAN JUAN	UT	35	418	23E	SESE	06270
								<del></del>	
RECAP . CREEK	RECAPTURE CREEK 1	430371587100	SAN JUAN	UT	21	40S	23E	SESW	06265
- /									
RECAP . CREEK	RECAPTURE CREEK 2	430373072700	SAN JUAN	UT	21	408	23E	NWSW	06255
RECAP . CREEK	RECAPTURE CREEK 3	430373092600	NAUL NAS	UT	21	40S	23E		08450
٠,									
TOHONADLA	NAVAJO TR #23-1	430371056500	SAN JUAN	UT	2	42S	21E	NENE	06230
TOHONADLA	TOHONADLA 1	430371587200	SAN JUAN	UT	35	418	21E	SWSE	11202
TOHONADLA	TOHONADLA 1- 23-35	430371587 <b>¥</b> 00	SAN JUAN	UT	35	418	21E	SWSE	
TOHONADLA	TOHONADLA + 41-25	430371587	SAN JUAN	UT	35	418	21E	SWSE	
TOHONADLA	TOHONADLA + 2-35	3/568 430371 <del>58720</del> 0	SAN JUAN	UT	35	418	21E	SWSE	
TOHONADLA	TOHONADLA 1 36-1	30854430371 <del>587200</del>	SAN JUAN	UT	35	418	21E	SWSE	6/2leo
				· · · · · · · · · · · · · · · · · · ·			<b>_</b>		
		·							
• ;									
									•

ARTICLES OF MERGER FOR THE MERGER OF
BASIN STERLING, INC.,
a Colorado corporation, into
BASIN EXPLORATION, INC.,
a Delaware corporation



Pursuant to the provisions of Sections 7-111-107 and 7-111-104 of the Colorado Business Corporation Act, the undersigned corporation has caused an officer to execute these Articles of Merger for the purpose of filing with the Secretary of State of the State of Colorado.

### Article I

The "Plan of Merger" attached hereto as Exhibit A and incorporated herein by reference has been approved and adopted by the directors of Basin Exploration, Inc., a Delaware corporation ("Basin"), in the manner provided by the laws of the states of Delaware and Colorado.

### Article II

Basin owns 100% of each class of the issued and outstanding capital stock of BSI.

### ARTICLE III

As to BSI, no shareholder approval was required for the merger.

As to Basin, no stockholder approval was required for the merger.

### Article IV

The Merger is to be effective on and as of the date upon which these Articles of Merger are filed with the Secretary of State of the State of Colorado.

### Article V

Basin agrees that it may be served with process in any proceeding for the enforcement of any obligation of BSI.

Such service of process, if any, shall be sent by registered or certified mail to its principal office at:

Basin Exploration, Inc.
Suite 1800
370 17th Street
Denver, Colorado 80202
Attention: Howard L. Boigon, Vice President General Counsel and Secretary

Executed this 22nd day of November, 1994

Basin Exploration, Inc., a Delaware corporation

By

Michael S. Smith, President

G:\DATA\PUBL\LWAC\D433278.1 November 17, 1994 6:34pm WP5.1

### Exhibit A

### PLAN OF MERGER

THIS PLAN OF MERGER, dated as of November 22, 1994, is to provide for the merger of Basin Sterling, Inc., a Colorado corporation ("BSI"), into Basin Exploration, Inc., a Delaware corporation ("Basin"). BSI and Basin are sometimes hereafter together referred to as the "Constituent Corporations."

WHEREAS, BSI is a corporation duly organized and existing under the laws of the State of Colorado, having an authorized capital stock of 10,000 shares of Common Stock, \$.01 par value (the "BSI Common Stock");

WHEREAS, 1,000 shares of BSI Common Stock are issued and outstanding and owned by Basin, and are the only shares of capital stock of BSI issued and outstanding;

WHEREAS, the board of directors of Basin has determined that it is advisable and in the best interests of such corporations that BSI merge with and into Basin as authorized by the statutes of the states of Colorado and Delaware and upon the terms and subject to the conditions of this Agreement; and

WHEREAS, the board of directors of Basin has, by resolutions duly adopted, approved this Plan and, pursuant to the statutes of the states of Colorado and Delaware, no shareholder or stockholder approval was required.

NOW, THEREFORE, it is resolved as follows:

- 1. Merger. Upon the terms and subject to the conditions set forth in this Plan, BSI shall be merged with and into Basin (the "Merger"), and Basin shall be the surviving corporation (sometimes hereafter referred to as the "Surviving Corporation"). The name of the Surviving Corporation shall be Basin Exploration, Inc. The Merger shall become effective (the "Effective Time") upon the time and date of filing of such documents as required under applicable law.
- 2. Governing Documents. The certificate of incorporation of Basin, as in effect immediately prior to the Effective Time, shall be the certificate of incorporation of the Surviving Corporation without change or amendment until thereafter amended in accordance with applicable law. The bylaws of Basin, as in effect immediately prior to the Effective Time, shall be the bylaws of the Surviving Corporation without change or amendment until thereafter amended in accordance with applicable law. References to "the corporation" in Article 6 of the bylaws of Basin shall include BSI, in addition to Basin, so that any person who was a director or officer of BSI or is or was serving at the request of BSI as a director, employee, or agent

of another corporation, partnership, joint venture, trust, association, or other entity shall stand in the same position under the provisions of said Article 6 with respect to Basin as he would if he had served Basin in the same capacity or is or was so serving such other entity at the request of Basin, as the case may be.

Succession; Officers and Directors. At the Effective Time, the separate corporate existence of BSI shall cease, and Basin as the Surviving Corporation shall possess all the rights, privileges, powers and franchises of a public and private nature and be subject to all the restrictions, disabilities and duties of BSI; and all rights, privileges, powers and franchises of BSI, and all property, real, personal and mixed, and all debts due to BSI on whatever account, as well as for share subscriptions and all other things in action belonging to BSI, shall be vested in the Surviving Corporation; and all property, rights, privileges, powers and franchises, and all and every other interest shall be thereafter as effectively the property of the Surviving Corporation as they were of BSI, and the title to any real estate vested by deed or otherwise in BSI, shall not revert or be in any way impaired by reason of the Merger; but all rights of creditors and all liens upon any property of BSI shall be preserved unimpaired, and all debts, liabilities and duties of BSI shall thenceforth attach to the Surviving Corporation and may be enforced against it to the same extent as if such debts, liabilities and duties had been incurred or contracted by the Surviving Corporation. All corporate acts, plans, policies, agreements, arrangements, approvals and authorizations of BSI, its shareholders, Board of Directors and committees thereof, officers and agents which were valid and effective immediately prior to the Effective Time, shall be taken for all purposes as the acts, plans, policies, agreements, arrangements, approvals and authorizations of Basin and shall be as effective and binding thereon as the same were with respect to BSI.

At the Effective Time, except as provided elsewhere in this Plan, the officers of Basin shall become the officers of the Surviving Corporation to hold the positions in the Surviving Corporation to which they have been elected as officers of Basin and to serve in accordance with the bylaws of the Surviving Corporation.

At the Effective Time, the following persons shall become and constitute the board of directors, and the members thereof, of the Surviving Corporation until their respective successors shall have been duly elected and qualified, or until their earlier death, resignation or removal: Michael S. Smith, Arthur L. Angeli, David M. Blandford, J. Paul Hellstrom, Melvin O. Glerup, Larry D. Unruh, and Michael A. Nicolais.

4. Further Assurances. From time to time, as and when required by Basin, or by its successors and assigns, there

shall be executed and delivered on behalf of BSI such deeds and other instruments, and there shall be taken or caused to be taken by it all such further and other action, as shall be appropriate or necessary in order to vest, perfect or confirm, of record or otherwise, in Basin the title to and possession of all property, interests, assets, rights, privileges, immunities, powers, franchises and authority of BSI, and otherwise to carry out the purposes of this Plan, and the officers and directors of Basin are fully authorized in the name and on behalf of BSI or otherwise, to take any and all such action and to execute and deliver any and all such deeds and other instruments.

- Cancellation of Common Stock. The 1,000 shares of BSI Common Stock presently issued in the name of Basin shall be cancelled and retired and no shares or other security shall be issued in respect thereof.
- Amendment. Subject to applicable law, this Plan may be amended, modified or supplemented by the board of directors of Basin at any time prior to the Effective Time.
- Abandonment. At any time prior to the Effective Time, this Plan may be terminated and the Merger may be abandoned by the board of directors of Basin, if circumstances arise which, in the opinion of the board of directors of Basin, make the Merger inadvisable.
- Service of Process. The Surviving Corporation, from and after the Effective Time, agrees that it may be sued and served with process in the State of Colorado at 370 17th Street, Suite 1800, Denver, Colorado 80202, to the attention of Howard L. Boigon, Vice-President - General Counsel and Secretary, in any proceeding for the enforcement of any obligation of BSI.
- Governing Law. This Plan shall be governed by and construed in accordance with the laws of the State of Delaware.

IN WITNESS WHEREOF, Basin has caused this Plan to be signed by its duly authorized officers as of the date first above written.

ATTEST:

BASIN EXPLORATION, INC., a

Delaware corporation

Michael S. Smith, President

## United States Department of the Interior

### BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, Utah 84145-0155

IN REPLY REFER TO: 3100 SL-067691A et al (UT-923)

MAY 1 5 1995

#### NOTICE

Basin Exploration, Inc. 370 17th Street, Suite 1800 Denver, Colorado 80202

Oil and Gas

SL-067691A et al

## Name Change Recognized Mergers Recognized

Acceptable evidence has been filed in this office concerning the merger of Basin Energy, Inc., into Sterling Energy Corporation, which became Basin Sterling, Inc. Basin Sterling, Inc. then merged into Basin Exploration, Inc. with Basin Exploration, Inc. being the surviving entity.

For our purposes, the merger of Basin Sterling, Inc. into Basin Exploration, Inc. is recognized effective November 23, 1994.

The following lease files have been noted to reflect the above changes.

SL-067691A SL-067700A SL-067706A SL-067710A SL-071403A bluff unit UTU-68666 SL-071404A

U-01058 U-01890 fecapture Creek Unit Unit UTU-68666 U-37841 UTU-68666 UTU-68667

A rider has been issued for Sterling Energy Corporation, Inc. Nationwide Bond No. 7525071 (BLM Bond No. CO0944) changing the name of the Principal to Basin Exploration, Inc., and Basin Operating Company.

## /s/ Robert Lopez


Chief, Branch of Mineral Leasing Adjudication

bc: Moab District Office

MMS-Data Management Division, MS 3113, P.O. Box 5860, Denver, CO 80217 State of Utah, Attn: Lisha Cordova, Division of Oil, Gas, and Mining,

3 Triad Center, Suite 350, Salt Lake City, Utah 84180-1204

UT-920 (Teresa Thompson)



OPERATOR CHANGE HORKSHEET 2- LWP 7-PL Attach all documentation received by the division regarding this change. 3-B/2/3 8-SJ/ Initial each listed item when completed. Write N/A if item is not applicable. 4- VLG 9-FILE 5- RJF **XXX** Change of Operator (well-sold) Designation of Agent ☐ Designation of Operator 6- LWP V XXX Operator Name Change Only 11-22-94 The operator of the well(s) listed below has changed (EFFECTIVE DATE: (new operator) BASIN EXPLORATION INC \_\_\_\_ FROM (former operator) STERLING ENERGY CORP (address) 370 17TH ST STE 1800 (address) 1801 BROADWAY STE 600 DENVER CO 80202 DENVER CO 80202 JUDI ROYS phone (303) 685-8000 phone (303) 296-1908 account no. \_N5070 (4-26-95) account no. N 5945 \*RECAPTURE CREEK UNIT Hell(s) (attach additional page if needed): \*BLUFF UNIT Name: \*\*SEE ATTACHED\*\* API: <u>037-36726</u> Entity: Sec\_\_Twp\_\_Rng\_\_Lease Type:\_\_\_ 
 Name:
 API:
 Entity:
 Sec\_ Twp\_\_Rng\_\_ Lease Type:
 Lease Type:

 Name:
 API:
 Entity:
 Sec\_ Twp\_\_Rng\_\_ Lease Type:

 Name:
 API:
 Entity:
 Sec\_ Twp\_\_Rng\_\_ Lease Type:
 Name: Sec\_\_Twp\_\_Rng\_ Lease Type:\_\_\_\_\_
Name: Sec\_\_Twp\_\_Rng\_ Lease Type:\_\_\_\_\_ Name: \_\_\_\_\_\_ API: \_\_\_\_\_ Entity: \_\_\_\_ Sec\_\_Twp\_\_Rng\_\_ Lease Type: \_\_\_ OPERATOR CHANGE DOCUMENTATION 1. (Rule R615-8-10) Sundry or other <u>legal</u> documentation has been received from <u>former</u> operator (Attach to this form). (Red 12-1-94 / Articles of Margan) 2 (Rule R615-8-10) Sundry or other <u>legal</u> documentation has been received from <u>new</u> operator (Attach to this form). ( Revid 121-94) 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes) yes, show company file number: #17169 (ef. 1/3/95) 4. (For Indian and Federal Hells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of Federal and Indian well operator changes should take place prior to completion of steps 5 through 9 below. 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above (5-22-95) 6. Cardex file has been updated for each well listed above. 5-22 65 7. Well file labels have been updated for each well listed above 5-22 g Le 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission. (5-22-95)  ${\it 10}$ 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

Division of Oil, Gas and Mining

OPERATOR	CHANGE WORKSHEET (CONTINUED) Initial each item when completed. Write N/A if item is not applicable.
ENTITY	REVIEH
Let 1	(Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Werentity changes made? (yes no) (If entity assignments were changed, attach copies of form 6, Entity Action Form).
<u>NA</u> 2.	State Lands and the Tax Commission have been notified through normal procedures of entity changes.
BOND VI	ERIFICATION (Fee wells only)
	(Rule R615-3-1) The new operator of any fee lease well listed above has furnished proper bond.
2.	A copy of this form has been placed in the new and former operators' bond files.
3.	The former operator has requested a release of liability from their bond (yes/no)
LEASE :	INTEREST OHNER NOTIFICATION RESPONSIBILITY
	(Rule R615-2-10) The former operator/lessee of any fee lease well listed above has bee notified by letter dated19, of their responsibility to notify an person with an interest in such lease of the change of operator. Documentation of suc notification has been requested.
4/D 2.	Copies of documents have been sent to State Lands for changes involving State leases.
FILMIN	1
	All attachments to this form have been microfilmed. Date: May 26 . 1995
FILING	
1.	Copies of all attachments to this form have been filed in each well file.
2.	The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operato Change file.
	19 Basin Expl. Inc. 1 Gudy Loys - Open of wells Basin Expl. Inc. Not Basin Open. Co
*	Indian lease wells, separate chy.  2 Sterling address updated to Sterling to Basin Expl. Inc. from Sterling to Thinity
Petr 11171/3	o. until final apriv.

### FORM 9

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL GAS AND MINING

	LEASE DESIGNATION AND SERIAL NUMBER:     B. IF INDIAN, ALLOTTEE OR TRIBE NAME:						
SUNDRY							
Do not use this form for proposals to drill r	new wells, significantly deepen existing wells below cu aterals. Use APPLICATION FOR PERMIT TO DRILL	rrrent bottom-hole depth, reenter plugged wells, or to form for such proposals.	7. UNIT or CA AGREEMENT NAME:				
1. TYPE OF WELL OIL WELL	GAS WELL OTHER		8. WELL NAME and NUMBER:				
2. NAME OF OPERATOR;			9. API NUMBER:				
3. ADDRESS OF OPERATOR:		PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT:				
4. LOCATION OF WELL	Y STATE ZIF						
FOOTAGES AT SURFACE:							
			COUNTY:				
QTR/QTR, SECTION, TOWNSHIP, RAN			STATE: UTAH				
	ROPRIATE BOXES TO INDICAT	TE NATURE OF NOTICE, REPO	RT, OR OTHER DATA				
TYPE OF SUBMISSION	1	TYPE OF ACTION					
NOTICE OF INTENT	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION				
(Submit in Duplicate)	ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL				
Approximate date work will start:	CASING REPAIR	MEW CONSTRUCTION	TEMPORARILY ABANDON				
	CHANGE TO PREVIOUS PLANS	X OPERATOR CHANGE	TUBING REPAIR				
SUBSEQUENT REPORT	CHANGE TUBING	PLUG AND ABANDON	VENT OR FLARE				
(Submit Original Form Only)	CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL				
Date of work completion:	CHANGE WELL STATUS	PRODUCTION (START/RESUME)	WATER SHUT-OFF				
	COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	OTHER:				
	CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMATION					
12. DESCRIBE PROPOSED OR CO	OMPLETED OPERATIONS. Clearly show all p	pertinent details including dates, depths, volume	es, etc.				
Effective 2/1/		Incorporated merged with	h Stone Energy. The				
		ergy, L.L.C.					
		adway, Suite 2800					
	Denver, (	CO 80202					
	Blanket 1	Bond #RLB0002054					
		will be effected in the the merger documentation					
Stone Energy,	L.1/.c.	Basin Exploration, Inc.					
The Short Doctor							
Pat Jackson -	Denver District 0	Gerald D. Gentry Opera	ations Manager				
Manager/	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·					
NAME (PLEASE PRINT) Terr	y L. Hoffman	TITLE Engineeri	ng Technician				
SIGNATURE Jerry	1. Hoffman	DATE 2/1/01					
This space for State use only)	7		ECHVED				

MAR 0 5 2001

Lease #	Well Name & Number	API Number	Field 	Legal Location	County
SL 067701	Bluff #10	4303715328	Desert Creek	SW SW 30-T39S-R23E	<del>- Can Juan</del> San Juan
SL 071403A	Bluff #13-4	4303730726	Bluff	NW SE 4-T40S-R23E	San Juan
SL 067701	Bluff #16	4303730989	Desert Creek	SW SE 29-T39S-R23E	San Juan
ML 2008	Bluff #2	4303716538	Desert Creek	SE NW 32-T39S-R23E	San Juan
SL 071403A	Bluff #42-5	4303730866	Desert Creek	SE NE 5-T40S-R23E	San Juan
SL 071403A	Bluff #44-5	4303715867	Bluff	SE SE 5-T40S-R23E	San Juan
892000782A	Bluff #9	4303715327	Desert Creek	NE SE 30-T-39S-T23E	San Juan
892000782A	Bluff State #1	4303720236	Desert Creek	NW NW 32-T39S-R23E	San Juan
SL 067701	Bluff Unit #14	4303730533	Desert Creek	NE SE 30-T-39S-T23E	San Juan
1420603248	Desert Creek #11-35	4303731806	Wildcat	NW NE 35-T41S-R23E	San Juan
1420603248	Desert Creek #2	4303715868	Desert Creek	SE SE 35-T41S-R23E	San Juan
1420603270	Navajo Tribal #23-1	4303710535	Tohonadla	NE NE 2-T42S-21E	San Juan
U-01890	Recapture Creek #1	4303715871	Recapture Creek	SE SE 21-T40S-R23E	San Juan
U-01890	Recapture Creek #2	4303730727	Recapture Creek	NW SW 21-T40S-R23E	San Juan
U-01890	Recapture Creek #3	4303730926	Recapture Creek		San Juan
1420603229	Tohonadla #1	4303715872	Tohonadla	SW SE 35-T41S-R21E	San Juan
1420603229	Tohonadla #23-35	4303715874	Tohonadla	NE SW 35-T41S-R21E	San Juan
1420603229	Tohonadla #2-35	4303731568	Tohonadla	N2 S2 35-T41S-R21E	San Juan

₹ 1



### United States Department of the Interior

### BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

In Reply Refer To: 3100 SL-067701 et al (UT-932)

MAR ? 3 2001

NOTICE

Stone Energy, L.L.C. 1670 Broadway, #2800 Denver, CO 80202

Oil and Gas Leases

### Name Change Recognized

Acceptable evidence has been received in this office concerning the change of name of Basin Exploration, Inc. to Stone Energy, L.L.C. on Federal oil and gas leases.

The oil and gas lease files identified on the enclosed exhibit have been noted as to the name change. The exhibit was compiled from a list of leases obtained from our automated records system. We have not abstracted the lease files to determine if the entity affected by the name change holds an interest in the leases identified nor have we attempted to identify leases where the entity is the operator on the ground maintaining no vested record title or operating rights interests. We are notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the name change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

Due to the name change, the name of the principal on oil and gas bond WY3181 is required to be changed from Basin Exploration, Inc. to Stone Energy, L.L.C. You may accomplish this change either by consent of the surety on the original bond or by a rider to the original bond. The rider should be submitted to the Wyoming State Office.

#### ROBERT LOPEZ

Robert Lopez Chief, Branch of Minerals Adjudication

Enclosure

Exhibit of Leases

RECEIVED

MAR 2 7 2001

DIVISION OF OIL, GAS AND MINING

### EXHIBIT A LEASES AFFECTED BY NAME CHANGE

SL-067701	SL-067710A	SL-071403A
U-01058	U-01890	U-056794
U-23147	U-37841	UTU-72671
UTU-73064	UTU-73734	UTU-74461
UTU-75000	UTU-75013	UTU-75140
UTU-75501	UTU-76062	UTU-76303
UTU-76304	UTU-76728	UTU-76865
UTU-76957	UTU-77288	UTU-77289
UTU-77299	UTU-77528	UTU-77529
UTU-77536	UTU-78027	UTU-78226
UTU-78227	UTU-78230	
UTU-78522	UTU-78730	UTU-78441
UTU-79007	UTU-79008	UTU-79006
UTU-79131	UTU-79182	UTU-79009
UTU-79148		UTU-79183
0.0 /0170	U-63011X (Bluff Unit)	U-63020X (Recapture Creek)

cc: MMS-Reference Data Branch, MS 3130, Box 5860, Denver, \$80217
State of Utah, DOGINI, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC, UT 84114-5801
Rhonda Flynn/Angela Williams (UT-942)

Vernal Field Office Moab Field Office Price Field Office San Juan Field Office

## State of Delaware Office of the Secretary of State PAGE 1

I, HARRIET SMITH WINDSOR, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF CONVERSION OF "BASIN EXPLORATION, INC.", CHANGING ITS NAME FROM "BASIN EXPLORATION, INC." TO "STONE ENERGY, L.L.C.", FILED IN THIS OFFICE ON THE FIRST DAY OF FEBRUARY, A.D. 2001, AT 3:30 O'CLOCK P.M.



Warriet Smith Windson, Secretary of State

2289801 8100

010060875

AUTHENTICATION: 0958659

DATE: 02-06-01

STATE OF DELAWARE SECRETARY OF STATE DIVISION OF CORPORATIONS FILED 03:30 PM 02/01/2001 010053850 - 2289801

# CERTIFICATE OF CONVERSION OF BASIN EXPLORATION, INC. INTO STONE ENERGY, L.L.C.

### February 1, 2001

### UNDER SECTION 266 OF THE GENERAL CORPORATION LAW OF THE STATE OF DELAWARE AND SECTION 18-214 OF THE DELAWARE LIMITED LIABILITY COMPANY ACT

Basin Exploration, Inc., a corporation organized and existing under and by virtue of the General Corporation Law of the State of Delaware (the "Company"), DOES HEREBY CERTIFY THAT:

- 1. Name of Corporation to be Converted. The name of the Company immediately prior to conversion is Basin Exploration. Inc., and the name under which the Company was originally incorporated was Basin Exploration, Inc.
- 2. Original Date and Jurisdiction of Incorporation. The original certificate of incorporation of the Company was filed on March 2, 1992 with the Secretary of the State of Delaware.
- 3. Name of Limited Liability Company. The name of the limited liability company into which the Company will be converted is Stone Energy, L.L.C.
- 4. Approval of Conversion. This conversion has been approved in accordance with the provisions of Section 266 of the General Corporation Law of Delaware and Section 18-214 of the Delaware Limited Liability Company Act.
- 5. Effective Time. The effective time of the conversion of the Company to a limited liability company contemplated hereby shall be February 1, 2001.

IN WITNESS WHEREOF, the undersigned has executed this Certificate of Conversion as of the date first written above.

BASIN EXPLORATION, INC.

Andrew L. Gates, III

Attorney In Fact

STATE OF DELAWARE SECRETARY OF STATE DIVISION OF CORPORATIONS FILED 03:30 PM 02/01/2001 010053850 - 2289801

### CERTIFICATE OF FORMATION OF STONE ENERGY, L.L.C.

This Certificate of Formation, dated February 1, 2001, has been duly executed and is filed pursuant to Section 18-201 of the Delaware Limited Liability Company Act (the "Act") to form a limited liability company (the "Company") under the Act.

- 1. Name. The name of the Company is "Stone Energy, L.L.C."
- 2. Registered Office; Registered Agent. The address of the registered office required to be maintained by Section 18-104 of the Act is:

1209 Orange Street Wilmington, Delaware 19801

The name and address of the registered agent for service of process required to be maintained by Section 18-104 of the Act are:

The Corporation Trust Company 1209 Orange Street Wilmington, Delaware 19801

3. *Effective Time.* The effective time of the formation of the Company contemplated hereby is February 1, 2001.

**EXECUTED** as of the date first written above.

Andrew L. Gates, III

Authorized Person

### State of Delaware

### Office of the Secretary of State

PAGE 2

I, HARRIET SMITH WINDSOR, SECRETARY OF STATE OF THE STATE OF DELAWARE DO HEREBY CERTIFY THAT THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF FORMATION OF "STONE ENERGY, L.L.C." FILED IN THIS OFFICE ON THE FIRST DAY OF FEBRUARY, A.D. 2001, AT 3:30 O'CLOCK P.M.



Harriet Smith Windson, Secretary of State

2289801 8100V

010053850

AUTHENTICATION: 0950237

DATE: 02-01-01

STATE OF DELAWARE
SECRETARY OF STATE
DIVISION OF CORPORATIONS
FILED 03:30 PM 02/01/2001
010053850 - 2289801

### CERTIFICATE OF FORMATION OF STONE ENERGY, L.L.C.

This Certificate of Formation, dated February 1, 2001, has been duly executed and is filed pursuant to Section 18-201 of the Delaware Limited Liability Company Act (the "Act") to form a limited liability company (the "Company") under the Act.

- 1. Name. The name of the Company is "Stone Energy, L.L.C."
- 2. Registered Office; Registered Agent. The address of the registered office required to be maintained by Section 18-104 of the Act is:

1209 Orange Street Wilmington, Delaware 19801

The name and address of the registered agent for service of process required to be maintained by Section 18-104 of the Act are:

The Corporation Trust Company 1209 Orange Street Wilmington, Delaware 19801

3. *Effective Time.* The effective time of the formation of the Company contemplated hereby is February 1, 2001.

**EXECUTED** as of the date first written above.

Andrew L. Gates, III

Z. Sates To

Authorized Person

### Division of Oil, Gas and Mining

for wells listed on:

### · OPERATOR CHANGE WORKSHEET

Enter date after each listed item is completed

Change of Operator (Well Sold)

Designation of Agent

ROUTING

4-KAS -

1. GLH

2. CDW / 3. JLT

X Operator Name Change (Only)

Merger

The operator of the well(s) listed below has change	d, effective:	2/1/2001				
FROM: (Old Operator):	1	TO: ( No	ew Operator):	*********		
BASIN EXPLORATION INC			NERGY LLC			
Address: 1670 BROADWAY, STE 2800	j		1670 BROAL	DWAY, STE	2800	
DENVER, CO 80202			, CO 80202		·	
Phone: 1-(303)-685-8000	-	Phone:	1-(303)-685-8	8000	<del></del>	
Account No. N5070		Account	No. N1555			
CA No.		Unit:	BLUFF			
WELL(S)						
	API	ENTITY	SEC. TWN	LEASE	WELL	WELL
NAME	NO.	NO.	RNG	TYPE	TYPE	STATUS
BLUFF 9	43-037-15327	625	30-39S-23E	FEDERAL	OW	S
BLUFF 14	43-037-30533	625	30-39S-23E	FEDERAL		P
BLUFF STATE 1 BLUFF 13-4	43-037-20236	625	32-39S-23E	STATE	OW	S
BLUFF 13-4 BLUFF 42-5	43-037-30726	11146	04-40S-23E	FEDERAL	·	P
BLUFF 44-5	43-037-30866 43-037-15867	11146	05-40S-23E 05-40S-23E	FEDERAL FEDERAL		P S
DECIT 113	43-037-13807	11140	03-403-23E	FEDERAL	OW	3
		<u> </u>				<del></del>
OPERATOR CHANGES DOCUMENTATION  1. (R649-8-10) Sundry or legal documentation was received to	from the FORM	ER operato	or on:	03/05/2001	_	
2. (R649-8-10) Sundry or legal documentation was received to	from the <b>NEW</b> o	perator on:		03/05/2001	-	
3. The new company has been checked through the <b>Departm</b>	ent of Commer	ce, Divisior	ı of Corporati	ons Databas	e on:	03/28/2001
4. Is the new operator registered in the State of Utah:  YES  Business Number: 4874937-0161						
5. If <b>NO</b> , the operator was contacted contacted on:	N/A	<del></del>				
6. <b>Federal and Indian Lease Wells:</b> The BLM and or operator change for all wells listed on Federal or Indian		s approve	d the (merge 03/23/2001	r, name ch	ange,	

Federal and Indian Units: The BLM or BIA has approved the successor of unit operator

03/23/2001

8.	Federal and Indian Communization Agreements ("CA"): The BLM or the BIA has approved the operator change for all wells listed involved in a CA on:  N/A
9.1	Underground Injection Control ("UIC") Prog: The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on:  N/A
$\overline{\mathbf{D}}_{A}$	ATA ENTRY:
1.	Changes entered in the Oil and Gas Database on:  03/29/2001
2.	Changes have been entered on the Monthly Operator Change Spread Sheet on:  03/29/2001
3.	Bond information entered in RBDMS on:  N/A
4.	Fee wells attached to bond in RBDMS on:  N/A
Si	ATE BOND VERIFICATION:
1.	State well(s) covered by Bond No.:  N/A
<ol> <li>2.</li> </ol>	CE WELLS - BOND VERIFICATION/LEASE INTEREST OWNER NOTIFICATION:  (R649-3-1) The NEW operator of any fee well(s) listed has furnished a bond No:  N/A  The FORMER operator has requested a release of liability from their bond on:  N/A  (R649-2-10) The FORMER operator of the Fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on:  N/A
	LMING: All attachments to this form have been MICROFILMED on: APR. 25 2001
1.	LING: ORIGINALS/COPIES of all attachments pertaining to each individual well have been filled in each well file on:  DMMENTS:
<u> </u>	WINIEN I 3.
_	

#### FORM 9

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING .

	DIVISION OF OIL, GAS AND WILL	NING	J. LEASE DESIGNATION AND SERIAL NUMBER:				
SUNDRY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: N/A						
Do not use this form for proposals to drill n	7. UNIT OF CA AGREEMENT NAME: 8920007829 BLUFF						
1. TYPE OF WELL OIL WELL	GAS WELL OTHER_		8. WELL NAME and NUMBER: Bluff #13-4				
2. NAME OF OPERATOR:	111555		9. API NUMBER:				
Stone Energy, L.L.C  3. ADDRESS OF OPERATOR:	N1555	PHONE NUMBER:	4303730726  10. FIELD AND POOL, OR WILDCAT:				
1801 Broadway, St. 700  4. LOCATION OF WELL	P Denver STATE CO ZIP	80202 (303) 685-8000	Desert Creek				
FOOTAGES AT SURFACE: 2140	SL and 660 FWL		COUNTY: San Juan				
QTR/QTR, SECTION, TOWNSHIP, RAN	ige, meridian: NWSW 4 40S 2	3E	STATE: UTAH				
11. CHECK APPI	ROPRIATE BOXES TO INDICAT	TE NATURE OF NOTICE, REP	ORT, OR OTHER DATA				
TYPE OF SUBMISSION		TYPE OF ACTION					
NOTICE OF INTENT	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION				
(Submit in Duplicate)	ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL				
Approximate date work will start:	CASING REPAIR	NEW CONSTRUCTION	TEMPORARILY ABANDON				
	CHANGE TO PREVIOUS PLANS	OPERATOR CHANGE	TUBING REPAIR				
	CHANGE TUBING	PLUG AND ABANDON	VENT OR FLARE				
SUBSEQUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL				
Date of work completion:	CHANGE WELL STATUS	PRODUCTION (START/RESUME)	WATER SHUT-OFF				
	COMMINGLE PRODUCING FORMATIONS  CONVERT WELL TYPE	RECLAMATION OF WELL SITE  RECOMPLETE - DIFFERENT FORMATIO	OTHER: Transfer of Interest/ Operations				
	OMPLETED OPERATIONS. Clearly show all	pertinent details including dates, depths, volu	umes, etc.				
Company, whose address is as follows: (1) BIA lan	tone Energy, L.L.C. is transferring is 5725 Commonwealth Blvd., S ds <u>U.S. Specially</u> tate of Utah Trust lands, <u>U.S. 10,000.00</u> and (3) Bifor \$_25,000.00	Sugar Land, Texas 77479, Tele: Insurance Company Bond No.	281-265-1212. The Matrix bonding				
MATRIX PRODUCTION	COMPANY N2660						
Ву: 2 - 1		Title: Vice President					
(Signature) Name: Larry W. Lathrop	•	Date: 6/30/2004					
NAME (PLEASE PRINT) Michael E	E. Cuba	TITLE Denver District	t Manager				
SIGNATURE 7. had	W.	DATE 6/30/2004					
(This space for State use only)	TD 1016m; 1		RECEIVED				
APPKUVE	ED 10127104						

(5/2000)

Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

(See Instructions on Reverse Side)

OCT 0 4 2004

### **OPERATOR CHANGE WORKSHEET**

**ROUTING** 

1. GLH

2. CDW 3. FILE

### X Change of Operator (Well Sold)

The operator of the well(s) listed below has changed, effective:

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has ch	nanged,	effectiv	/e:	and the plant party	•	6/1/2004		
FROM: (Old Operator):				<b>TO:</b> ( New C	perator):			
11555-Stone Energy, LLC				N2660-Matrix		Company		
1801 Broadway, Suite 700					Commonwea			
Denver, CO 80202					Land, TX 77			
hone: 1-(303) 685-8000				Phone: 1-(281				
CA N	0.			Unit:	148	A see	below	
VELL(S)		······						
IAME	SEC	TWN	RNG	API NO	ENTITY	LEASE	WELL	WELL
				1	NO	TYPE	TYPE	STATUS
LUFF 16	29	390S	230E	4303730989		Federal	OW	P
LUFF ST 2	32	390S	230E	4303716538	629	State	OW	S
ECAPTURE CREEK 2	21	400S	230E	4303730727		Federal	ow	P
RECAPTURE CREEK 3	21	400S		4303730926		Federal	ow	S
OHONADLA 1	35			4303715872		Indian	ow	P
OHONADLA 23-35	35			4303715874		Indian	OW	P
COHONADLA 2-35	35			4303731568		Indian	ow	P
DESERT CREEK 2	35		<del></del>	4303715868		Indian	ow	P
NAVAJO TR 23-1	02		210E	4303715540		Indian	ow	P
		1		1200,100,10	0230	AIIGAUII	1011	<u> </u>
ROKOAVHUUROORIAH SARASA								
ECAPTURE CREEK 1	21	- F 1 3 1 3 4 5 4 5	230E	4303715871	6265	Federal	ow	S
BEGREENE			000000000000000000000000000000000000000					
BLUFF U 9	30		Section Section Section	The state of the s			OW.	
BLUFF U 14	30			4303715327		Federal	OW	S
BLUFF U ST 1	32			4303730533		Federal	OW	P
BLUFF 13-4	04			4303720236		State	OW	S
BLUFF 44-5				4303730726		Federal	OW	P
BLUFF 42-5	05			4303715867		Federal	OW	P
DLUFF 42-3	05	4008	230E	4303730866	11146	Federal	OW	P
		<del> </del>	<del> </del>		<del> </del>			<b>_</b>
OPERATOR CHANGES DOCUMEN Enter date after each listed item is completed (R649-8-10) Sundry or legal documentation (R649-8-10) Sundry or legal documentation	was rec	ceived f		_		10/4/200		
3. The new company was checked on the <b>Depa</b>		t of Co			_			8/26/2004
1. Is the new operator registered in the State of			YES	Business Num	iber:	681279-01	43	
5. If <b>NO</b> , the operator was contacted contacted	on:							
Co (DC40 0 2) Wests M		•						
ba. (R649-9-2)Waste Management Plan has been					<b></b>			
6b. Inspections of LA PA state/fee well sites co	mplete (	on:		n/a				

7.	Federal and Indian Lease Wells: The BLM and or the BIA has approved the merger, name change,
, .	on an anaton about a few all and the few all a
	or operator change for all wells listed on Federal or Indian leases on:  BLM not yet  BIA not yet
8.	Federal and Indian Units:
ο.	
	The BLM or BIA has approved the successor of unit operator for wells listed on: not yet
9.	Federal and Indian Communization Agreements ("CA"):
	The BLM or BIA has approved the operator for all wells listed within a CA on:  n/a
10	. Underground Injection Control ("UIC") The Division has approved UIC Form 5, Transfer of Authority to
	Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on:  n/a
	The state of the s
$\overline{\mathbf{D}}$	ATA ENTRY:
1.	Changes entered in the Oil and Gas Database on: 10/27/2004
	10/2//2004
2.	Changes have been entered on the Monthly Operator Change Spread Sheet on: 10/27/2004
	10/2//2004
3.	Bond information entered in RBDMS on: 10/27/2004
٠.	10/2//2004
4.	Fee/State wells attached to bond in RBDMS on: 10/27/2004
••	10/2//2004
5.	Injection Projects to new operator in RBDMS on:
	ma ma
6.	Receipt of Acceptance of Drilling Procedures for APD/New on:
	Ind
RI	EDERAL WELL(S) BOND VERIFICATION:
	the state of the s
1.	Federal well(s) covered by Bond Number:  B001041
TN	IDIAN WELL (C) DOND VEDUCATION
111	DIAN WELL(S) BOND VERIFICATION:
1.	Indian well(s) covered by Bond Number:  B001183
FI	EE & STATE WELL(S) BOND VERIFICATION:
1.	(R649-3-1) The NEW operator of any fee well(s) listed covered by Bond Number B001044 and B001045
2.	The FORMER operator has requested a release of liability from their bond on: held at TLA
	The Division sent response by letter on:  n/a
Ti	EASE INTEREST OWNER NOTIFICATION:
٥.	(R649-2-10) The <b>FORMER</b> operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on:  n/a
	of their responsibility to notify all interest owners of this change on:  n/a
~	DMMENTS:
<u> </u>	ANNENTS.